

Inspections Between (inclusive): 9/1/2023 and 9/10/2023

Establishment	Type	Score	In / Out	Follow up Req'd.	Date Insp. Closed
---------------	------	-------	----------	------------------	-------------------

BELTON

CENTRAL TEXAS STATE FAIR	LOOP I21 (BELL COUNTY EXPO) 76513				
---------------------------------	-----------------------------------	--	--	--	--

9/5/2023	Permit	100	10:00 AM	<input type="checkbox"/>	9/5/2023
-----------------	---------------	-----	----------	--------------------------	----------

Bad Girl BBQ- Inspection for Permit- BC-157
 HteaO BC-413
 Lowe's Legs TE-569
 Kona Ice BC-330
 Candy's Porch KI-1406

Delectable Delights- no show
 Travelin Tom's Coffee- no one present for inspection

Ricky B's Concession
 Sweet T's Rollin Café
 Papa Bear Kettle
 Coffee Saloon
 Jr's Catfish & Shrimp
 Carmen's Corn Creations
 The Original Taste of the Caribbean
 Pride of Texas Shows (2 concession)
 Texas Chicken
 Lane Concessions (3 concession trailers)
 Bub's BBQ
 Isa's Kitchen
 Cristi & Ali Cuisine

TAQUERIA LA PERLA	604 WACO RD 76513				
--------------------------	-------------------	--	--	--	--

9/8/2023	Violations Followup	100	9:20 AM	<input type="checkbox"/>	9/11/2023
-----------------	----------------------------	-----	---------	--------------------------	-----------

NOTE: Portable storage building has been constructed and is pending delivery. Spot on property has been identified and approved by City of Belton. The establishment has taken measures to ensure that the old building is maintaining conditions that prohibit rodent/insect entry. The transfer of all food related items will begin as soon as building is set. Periodic checks of the set up will be done throughout the course of the process.

THE GIN @ NOLAN CREEK	219 S EAST ST, STE E 76513				
------------------------------	----------------------------	--	--	--	--

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

BELTON

THE GIN @ NOLAN CREEK

219 S EAST ST, STE E 76513

9/5/2023

Permit

96

9:55 AM
10:30 AM



9/6/2023

from previous inspection, all items corrected:

from inspection of 10292021: 32: dry storage shelves have been sealed, 42: ceiling vents and tiles have been cleaned/replaced, the soda spouts are clean

32: entirety of kitchen floor is in a condition (cement) that requires refurbishing.

Large aggregate showing causing cleaning difficulties. Repair as required

42: minor cleaning for dry storage shelves

clean tray racks as needed

clean racks in walk in cooler as needed

clean walk in cooler floors

clean floors under grill equipment/kitchen equipment a needed

43: lighting in walk in cooler is inadequate: position of fixture causes racks and other items to cause shadows that do not allow for enough light to adequately see to clean.

Must improve lighting: recommend LED strip light in middle of ceiling of cooler.

NOTE: floors have been re-evaluated and determined that the majority in the kitchen is in a condition that can be managed and kept clean, but will eventually require resurfacing. Owner has stated that they have hired an individual who will do this job, but is not available until October.

From today:

42: clean walk in cooler fan guards.

32/42/45: regarding previous statement about floors: area in dishwash room and by mop sink does require immediate attention to fill in and eliminate the pooling water and other items. This condition is far worse than the rest of the floor and can be temporarily repaired pending the full make-over slated for October

32/42: shelves under the prep table in the grill/prep area are severely rusted and require repair to allow for ease of cleaning. They are dirty due to rust composition. Repair/clean as needed.

Non-Food Contact surfaces clean - 1

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

Physical facilities installed, maintained, clean - 1

Inspections Between (inclusive): 9/1/2023 and 9/10/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

FORT HOOD

AUDIE MURPHY MIDDLE SCHOOL 9P 1R

53393 SUNDANCE 76544

9/6/2023 Permit

99

8:40 AM

9/7/2023

42: clean non-food contact surfaces, floor and store room as needed. Dead crickets present on traps that require removal

9:15 AM

Non-Food Contact surfaces clean - 1

CLARKE ELEMENTARY 9P 1R

51600 COMANCHE 76544

9/6/2023 Permit

99

9:25 AM

9/7/2023

42: clean dust build-up on walk in cooler fan guards and on ceiling of same cooler. Clean as needed

9:50 AM

Non-Food Contact surfaces clean - 1

CLEAR CREEK ELEMENTARY 9P 1R

4800 WASHINGTON 76544

9/6/2023 Permit

100

10:00 AM

9/7/2023

10:20 AM

-

KISD EARLY COLLEGE HIGH SCHOOL 9P 1R

51000 TANK DESTROYER BLVD. 76549

9/5/2023 Permit

98

9:10 AM

9/6/2023

32: walk in cooler floor is not cleanable and requires repair. Holes in sheet metal pose both safety hazard and prohibit proper cleaning.

9:35 AM

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

MEADOWS ELEMENTARY 9P 1R

423 27TH ST & TANK DESTROYER 76544

9/5/2023 Permit

100

9:45 AM

9/6/2023

10:15 AM

-

MONTAGUE VILLAGE ELEMENTARY 9P 1R

84001 CLEMENT DRIVE 76544

9/6/2023 Permit

99

1:00 PM

9/7/2023

45: air vents require cleaning due to dust build up and some bit of rust accumulation.

1:25 PM

Physical facilities installed, maintained, clean - 1

OVETA CULP HOBBY ELEMENTARY 9P 1R

53210 LOST MOCCASIN ROAD 76544

9/5/2023 Permit

100

8:25 AM

9/6/2023

9:00 AM

-

VENABLE VILLAGE 9P 1R

60160 VENABLE ROAD 76544

9/6/2023 Permit

100

10:25 AM

9/7/2023

10:55 AM

-

Inspections Between (inclusive): 9/1/2023 and 9/10/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

HARKER HEIGHTS

CRACKER BARREL - HH			201 EAST CTE #300 76548		
9/7/2023	Permit	100	2:30 PM 3:10 PM	<input type="checkbox"/>	9/11/2023

EASTERN HILLS MIDDLE SCHOOL 9P 1R			300 INDIAN TRAIL 76548		
9/5/2023	Permit	100	10:25 AM 11:00 AM	<input type="checkbox"/>	9/5/2023

Eun's Coffee			600 Indian Trail Ste 101 76548		
9/7/2023	Permit	100	2:15 PM 2:40 PM	<input type="checkbox"/>	9/11/2023

PULLUP-N-EAT			807 S. ANN 76548		
9/7/2023	Permit	100	1:35 PM 2:10 PM	<input type="checkbox"/>	9/11/2023

SMOOTHIE KING - HH			560 E. CTE 76548		
9/7/2023	Permit	100	11:00 AM 11:20 PM	<input type="checkbox"/>	9/11/2023

WALMART NEIGHBORHOOD MARKET - HH			960 E. FM 2410 76548		
9/7/2023	Permit	100	10:15 AM 10:55 AM	<input type="checkbox"/>	9/11/2023

Inspections Between (inclusive): 9/1/2023 and 9/10/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

BAGUETTE BISTRO			3401 WEST SS LOOP, #7 76549		
9/6/2023	Permit	100	10:30 AM 11:00 AM	<input type="checkbox"/>	9/7/2023

BROOKHAVEN INTERMEDIATE 9P 1R			3221 HILLIARD 76543		
9/8/2023	Permit	99	9:35 AM 10:00 AM	<input type="checkbox"/>	9/11/2023
45: replace water damaged ceiling tiles, clean dusty ceiling tiles as needed Physical facilities installed, maintained, clean - 1					

CHURCHS FRIED CHICKEN - E VMB			2616 E VMB 76543		
9/1/2023	Complaint Followup	91	10:30 AM 11:00 AM	<input checked="" type="checkbox"/>	9/8/2023
from inspection follow-up: all items are repetitive in nature, but the improvement is drastic enough that the facility is allowed to reopen WITH THE UNDERSTANDING THAT CONTINUED OPERATION WILL ONLY "WORSEN" THE ITEMS THAT NEED FURTHER ATTENTION" A follow-up is scheduled for 9/8/23 to check the status of the cleaning that is still in need of attention. A follow-up specific to the physical repairs required in the walk in cooler (walls, floors) will be conducted on 10/30/23 for completion.					

20/45: this item is new: the floor drain in walk-in cooler is not draining allowing water to pool in center of this unit. Currently the pooling water is limited to the vicinity of the drain and stands about 1/2 inch deep spreading 8-10 inches circumferentially from drain. This item was noticed last inspection, but was considered temporary due to the filthy condions of the cooler. As the cooler has been cleaned, it appers the drain is in need of repair. This will be required by follow-up on 9/8

from complaint of 8/15/2023

all items repeated, not repaired or corrected. Facility is closed until repairs and cleaning have been done.

spoke with owner of the franchise who was made aware that no follow-up was scheduled as they are to remain closed until such time as conditions have been remedied. The time it takes to be able to open under the standards required is dependent upon corrective actions and success in achieving those conditions.

42: clean floor under and around equipment as/where needed

clean other surfaces as/where needed

45: repair damaged walls/floors as required

32/42: damaged walls in walk in cooler are required to be repaired to allow these surfaces to be cleaned as required

32 repair damage to other walls as needed

34/37: old deep fryer in parking lot is caked with grease and food pariticles. This item must be removed as it is attracting insects (flies).

Environmental contamination - 1

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

Non-Food Contact surfaces clean - 1

Physical facilities installed, maintained, clean - 1

No Evidence of Insect contamination, rodent / other animals - 1

Approved Sewage/Wastewater Disposal System, proper disposal - 3

Inspections Between (inclusive): 9/1/2023 and 9/10/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

CHURCHS FRIED CHICKEN - E VMB	2616 E VMB 76543
--------------------------------------	------------------

2616 E VMB 76543

9/8/2023 Violations Followup

97 10:00 AM

this follow-up inspection shows that the following items have been corrected:

10:25 AM 10/10/2023

34/37: the old fryer is still in same position, but has been cleaned and covered with a tarp. Correction noted

45: wall repair for damaged walls as/where needed: repeat (repairs in process).

32/42: walk in cooler repairs (walls) are still pending with special note: what was observed as "repairs" on-going are not appropriate for repairs as the method will not bring the surfaces up to the conditions required to render the surfaces easily cleanable (gaps/rough surfaces). This was relayed to the manager on duty.

20/45: floor drain in walk in cooler has now been repaired to properly drain: corrected

from inspection follow-up: all items are repetitive in nature, but the improvement is drastic enough that the facility is allowed to reopen WITH THE UNDERSTANDING THAT CONTINUED OPERATION WILL ONLY "WORSEN" THE ITEMS THAT NEED FURTHER ATTENTION" A follow-up is scheduled for 9/8/23 to check the status of the cleaning that is still in need of attention. A follow-up specific to the physical repairs required in the walk in cooler (walls, floors) will be conducted on 10/30/23 for completion.

20/45: this item is new: the floor drain in walk-in cooler is not draining allowing water to pool in center of this unit. Currently the pooling water is limited to the vicinity of the drain and stands about 1/2 inch deep spreading 8-10 inches circumferentially from drain. This item was noticed last inspection, but was considered temporary due to the filthy condions of the cooler. As the cooler has been cleaned, it appers the drain is in need of repair. This will be required by follow-up on 9/8

from complaint of 8/15/2023

all items repeated, not repaired or corrected. Facility is closed until repairs and cleaning have been done.

spoke with owner of the franchise who was made aware that no follow-up was scheduled as they are to remain closed until such time as conditions have been remedied. The time it takes to be able to open under the standards required is dependent upon corrective actions and success in achieving those conditions.

42: clean floor under and around equipment as/where needed

clean other surfaces as/where needed

45: repair damaged walls/floors as required

32/42: damaged walls in walk in cooler are required to be repaired to allow these surfaces to be cleaned as required

32 repair damage to other walls as needed

34/37: old deep fryer in parking lot is caked with grease and food pariticles. This item must be removed as it is attracting insects (flies).

Non-Food Contact surfaces clean - 1

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

CVS HEALTH - TRIMMIER	2502 TRIMMIER 76542
------------------------------	---------------------

2502 TRIMMIER 76542

9/7/2023 Permit

100 11:30 AM

9/11/2023

11:50 AM

DOLLAR GENERAL - STAGECOACH LINE	310 STAGECOACH LINE 76542
---	---------------------------

310 STAGECOACH LINE 76542

Inspections Between (inclusive): 9/1/2023 and 9/10/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN**DOLLAR GENERAL - STAGECOACH LINE**

310 STAGECOACH LINE 76542

9/6/2023

Permit

98

9:35 AM



9/7/2023

22: corporate approved (TFER permitted) food handler certifications are not available as required.

10:05 AM

Food handler / no unauthorized persons / personnel - 2

DOLLAR TREE #6533

4602 EAST VMB 76543

9/7/2023

Permit

100

9:45 AM



9/11/2023

10:05 AM

FAMILY DOLLAR #11157 - BRIDGEWOOD

4802 BRIDGEWOOD DR 76549

9/6/2023

Permit

100

11:05 AM



9/7/2023

11:30 AM

HAY BRANCH ELEMENTARY 9P 1R

6101 WEST CLIFF 76542

9/8/2023

Permit

99

8:30 AM



9/11/2023

42: clean walk in cooler fan guards

9:00 AM

remove full sticky traps (insects) as needed

Non-Food Contact surfaces clean - 1

Physical facilities installed, maintained, clean - 1

HAYNES ELEMENTARY 9P 1R

3309 W. CANADIAN RIVER LOOP 76549

9/5/2023

Permit

100

1:40 PM



9/6/2023

2:05 PM

INTEGRITY NAIL BAR

4310 SOUTH CLEAR CREEK, #130 76549

9/5/2023

Permit

100

2:15 PM



9/6/2023

2:30 PM

JUST FOR TOTS #5

4104 E. SS LOOP 76542

9/5/2023

Permit

100

10:00 AM



9/6/2023

INSPECTION NORMALLY DUE AUGUST. ROTATION WILL REMAIN AUGUST

10:25 AM

KASCADE

4400 S FT HOOD ST. 76542

9/5/2023

Permit

100

12:45 PM



9/6/2023

1:05 PM

KILLEEN DOWNTOWN HEADSTART

802 N. 2ND 76541

9/5/2023

Permit

100

9:50 AM



9/5/2023

10:10 AM

Inspections Between (inclusive): 9/1/2023 and 9/10/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

KILLEEN ELEMENTARY 9P 1R			1608 E. RANCIER AVE. 76541		
9/8/2023	Permit	100	10:30 AM 11:00 AM	<input type="checkbox"/>	9/11/2023

KILLEEN HIGH SCHOOL/KIOSK 9P 1R			500 NORTH 38TH 76543		
9/7/2023	Permit	100	9:15 AM 9:45 AM	<input type="checkbox"/>	9/11/2023

MARCO'S PIZZA-ELMS			5304 W ELMS ROAD STE 102 76549		
9/7/2023	Permit	99	2:05 PM 2:35 PM	<input type="checkbox"/>	9/11/2023

42: Clean walk in cooler fan

809 + mixer table has build up and requires cleanin
Non-Food Contact surfaces clean - 1

ORIENTAL CAFÉ #2			4102 GREENLEE DRIVE 76543		
9/6/2023	Permit	96	9:50 AM 10:20 AM	<input type="checkbox"/>	9/7/2023

32: observed cardboard being used as shelf liners. Cannot use this material for that purpose (absorbent, not easily cleanable/or durable)

42: defrost/clean chest freezer as require (frost/debris buildup)

clean walk in cooler racks and fan guards.

45: repaint/reseal store room shelving.

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

Non-Food Contact surfaces clean - 1

Physical facilities installed, maintained, clean - 1

PEACE OF MIND EMERGENCY SHELTER			1002 MEDICAL DRIVE 76543		
9/7/2023	Permit	100	9:30 AM 9:10 AM	<input type="checkbox"/>	9/12/2023

NOTE: EMERGENCY SHELTER OPERATIONS. ALL COMPONENTS OF FACILITY MEET MINIMAL RECOMMENDATIONS FOR SAFETY/SANITATION.

PEEBLES ELEMENTARY 9P 1R			1800 NORTH WS YOUNG 76541		
9/5/2023	Permit	99	10:25 AM 10:50 AM	<input type="checkbox"/>	9/6/2023

42: clean areas behind ovens. Dirt/debris/paper items behind them on the floor.

Non-Food Contact surfaces clean - 1

PIZZA HUT #1958 - CLEAR CREEK			3905 SOUTH CLEAR CREEK # 105 76549		
9/6/2023	Permit	99	1:40 PM 2:15 PM	<input type="checkbox"/>	9/7/2023

42: general cleaning required throughout facilitiy (walls, racks, base boards, due to grease buildup.

clean walk in cooler doors/handles and shelving.

clean reach in cooler doors, handles and racks

Non-Food Contact surfaces clean - 1

RANCIER MIDDLE SCHOOL 9P 1R			3301 HILLIARD DRIVE 76542		
------------------------------------	--	--	---------------------------	--	--

Inspections Between (inclusive): 9/1/2023 and 9/10/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

RANCIER MIDDLE SCHOOL 9P 1R			3301 HILLIARD DRIVE 76542		
9/8/2023	Permit	100	9:05 AM 9:30 AM	<input type="checkbox"/>	9/11/2023

SABOR DE HAITI			205 W. RANCIER AVE #F 76541		
9/6/2023	Complaint Followup	100	12:55 PM 1:20 PM	<input type="checkbox"/>	9/7/2023

Caller makes the following allegations:
 Roaches crawling in the dining area and in the back.
 Rat droppings in the corner towards the kitchen. It was swept up when brought to the staff's attention.

investigation:

current pest control measures are in place with the most recent visit addressing roaches. Current state of sanitation is good, so pest control is the measure for this issue is adequate. No activity noted at this time.

rodent issues have been forwarded to landlord/pest control as recently as 1 week ago and those individuals are working toward resolution.

from previous inspection 6/21/2023

31: repair hand sink to have hot water: corrected

ST JOSEPH SCHOOL 9P 1R			2901 EAST RANCIER 76541		
9/7/2023	Routine	100	9:50 AM 10:15 AM	<input type="checkbox"/>	9/11/2023

SUBWAY #10455 - N FORT HOOD			612 N FORT HOOD 76541		
9/5/2023	Permit	98	9:15 AM 9:40 AM	<input type="checkbox"/>	9/5/2023

from previous inspection:

21: CFM proof required: corrected

from todays inspection:

42/45: walk in cooler racks are starting to peel (plastic coating) as well as a buildup of mold. Replace/clean as needed.

Physical facilities installed, maintained, clean - 1

Non-Food Contact surfaces clean - 1

TOP DONUTS - E SS LOOP			4008 E. SS LOOP, STE 101 76542		
9/6/2023	Permit	100	9:00 AM 9:20 AM	<input type="checkbox"/>	9/7/2023

TOP DONUTS - RANCIER			2006 EAST RANCIER STE 100 76542		
9/5/2023	Permit	100	10:20 AM 10:40 AM	<input type="checkbox"/>	9/5/2023

TROPICAL SMOOTHIE CAFÉ			1103 SOUTH FORT HOOD ROAD 76541		
-------------------------------	--	--	---------------------------------	--	--

Inspections Between (inclusive): 9/1/2023 and 9/10/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

TROPICAL SMOOTHIE CAFÉ			1103 SOUTH FORT HOOD ROAD 76541		
9/8/2023	Permit	100	10:00 AM 10:25 AM	<input type="checkbox"/>	9/11/2023

WENDYS - CLEAR CREEK			3816 S. CLEAR CREEK 76549		
9/5/2023	Permit	100	2:30 PM 2:55 PM	<input type="checkbox"/>	9/6/2023

Inspections Between (inclusive): 9/1/2023 and 9/10/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	--------------------	----------------------

NOLANVILLE

NOLANVILLE ELEMENTARY 9P 1R			901 OLD NOLANVILLE RD 76559		
9/5/2023	Permit	100	9:40 AM 10:00 AM	<input type="checkbox"/>	9/5/2023

NORTHSIDE BAPTIST CHURCH 9P 1R			1800 W HWY 190 76559		
9/5/2023	Permit	100	10:50 AM 11:20 AM	<input type="checkbox"/>	9/5/2023

RICHARD CAVAZOS ELEMENTARY 9P 1R			1200 NORTH 10TH 76559		
9/5/2023	Permit	100	8:50 AM 9:20 AM	<input type="checkbox"/>	9/5/2023

Inspections Between (inclusive): 9/1/2023 and 9/10/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

SALADO

SONIC - SALADO

1110 NORTH ROBERTSON ROAD 76571

9/1/2023

Violations Followup

99

10:25 AM

9/5/2023

follow up shows all corrected except: water filtration issue. Repairs are pending, but have to come from manufacturer. Currently the leak is not causing any issue with food.

11:00 AM

Permit application is issued

32: cardboard used as shelf liner visibly dirty. Cannot use this material for this purpose: not easily cleanable, not non-absorbent

#42 (REPEAT FROM 9/1/20): REPLACE TORN GASKET ON RI COOLER BY FRYER. Repeat

from this inspection:

42: doors/walls for both walk-in cooler and walk-in freezer are dirty with dirt/oil and buildup and require cleaning

floors in both walk-in cooler and walk-in freezer are dirty, especially underneath racks and require cleaning

floors in dry storage area are dirty especially under racks and require cleaning

45: water filtration system is leaking and dripping water n the floor from the middle filter assembly. Repair/replace as needed to correct this issue.

32: wire racks in the walk-in cooler are rusted to the point of either requiring replacement or deep cleaning to remove rust to render these items cleanable as required.

Physical facilities installed, maintained, clean - 1

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TEMPLE

CHARTER OAKS ELEMENTARY 9P 4R

8402 POISON OAK 76502

9/1/2023 Permit

100

8:25 AM

9/5/2023

NOTE: leak at vent hood (water) is still present. Waiting on manufacturer's repair as it is a warranty issue. Currently no threat to food. They monitor daily to ensure it does not get worse.

8:45 AM

-

DAIRY QUEEN - N 7TH

15 NORTH 7TH 76501

9/5/2023 Permit

98

2:40 PM

9/6/2023

42/45: several locations throughout kitchen are missing floor tiles. Replacement necessary to allow proper cleaning.

3:15 PM

walk in cooler floor is dirty, wooden surfaces must be made cleanable and durable.

45: backdoor needs to properly seal against frame to enhance pest control.

Physical facilities installed, maintained, clean - 1

Non-Food Contact surfaces clean - 1

FAMILY DOLLAR #28590 - S 1ST

1510 SOUTH 1ST 76504

9/5/2023 Permit

100

2:00 PM

9/6/2023

from previous inspection:

2:30 PM

42: clean inside of reach in cooler: corrected

-

HAT CREEK BURGER CO

99 OLD WACO RD 76502

9/5/2023 Permit

97

11:20 AM

9/5/2023

42: clean wire racks in walk in cooler of food particle buildup

11:55 AM

clean walk in cooler floor

clean walk in cooler door gasket

31: hand sink at the deep fryers is currently not accessible for use.

Adequate handwashing facilities; Accessible and properly supplied, used - 2

Non-Food Contact surfaces clean - 1

Inspections Between (inclusive): 9/1/2023 and 9/10/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TEMPLE

HAT CREEK BURGER CO			99 OLD WACO RD 76502		
----------------------------	--	--	----------------------	--	--

9/6/2023	Complaint Followup	99	3:20 PM 4:00 PM	<input type="checkbox"/>	9/7/2023
-----------------	---------------------------	----	--------------------	--------------------------	----------

allegations:

Customer makes the following complaint: Tuesday, September 5, 2023 at 2pm.
 The customer, her husband and mother ordered burger and they all got sick after eating burgers.
 All three developed the following symptoms:
 1. Vomiting.
 2. Cramps.
 3. Diarrhea.

The caller developed the additional following symptoms:
 1. Dizziness.
 2. Body aches.
 3. Trouble breathing.

Investigation:

cooked beef patty temperature was 173 F
 cold hold temperatures observed:
 lowboy cooler: pickles/tomatoes: 38 F
 Walk in cooler: 39 F
 Management states that no employees have called in sick or worked under prohibited health concerns.

NOTE: from previous inspection (9/5/22): corrections noted except the walk in cooler racks require as-needed cleaning.

- 42: clean wire racks in walk in cooler of food particle buildup
 repeat
 clean walk in cooler floor
- clean walk in cooler door gasket
- 31: hand sink at the deep fryers is currently not accessible for use.

Non-Food Contact surfaces clean - 1

IGNITE COFFE			44 SOUTH PEA RIDGE ROAD 76502		
---------------------	--	--	-------------------------------	--	--

9/5/2023	Permit	100	10:40 AM 11:00 AM	<input type="checkbox"/>	9/5/2023
-----------------	---------------	-----	----------------------	--------------------------	----------

LA RIV'S			7410 W ADAMS STE 160 76502		
-----------------	--	--	----------------------------	--	--

Inspections Between (inclusive): 9/1/2023 and 9/10/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TEMPLE

LA RIV'S

7410 W ADAMS STE 160 76502

9/6/2023 Permit

99

10:15 AM

9/6/2023

From previous inspection: all corrected except 45

10:45 AM

34/42: flies/gnats in bar area.....minor cleaning for floors/hang pest strips

42: clean dry storage room racks
clean a/c vent in dry storage room
clean walk in cooler fan guards

45: repair wall coving beside the stove (small wall). repeat

Physical facilities installed, maintained, clean - 1

LITTLE CAESARS - N 27TH

104 NORTH 27TH 76501

9/5/2023 Permit

94

3:25 PM

Permit application withheld until follow-up on 9/12/2023

4:25 PM

9/12/2023

from previous inspection:

34: gnats in kitchen: corrected

from today:

21: proof of cfm required: cos

22: food handler cards are not present at this time and are required to be present.

42: walk in cooler walls and floors asre dirty. Sweep/mop/clean as needed (food/mildew buildup)

metal tray racks are very dirty and required cleaning

wall at end of 3 compartment sink has buildup and requires cleaning

45: walk in cooler door does not close. It has no latch device. Repair as necessary so door will properly close.

Person in charge present, demonstration of knowledge, and CFM - 2

Food handler / no unathorized persons / personnel - 2

Non-Food Contact surfaces clean - 1

Physical facilities installed, maintained, clean - 1

McDONALDS - ADAMS

1601 W. ADAMS 76501

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TEMPLE

McDONALDS - ADAMS

1601 W. ADAMS 76501

9/6/2023	Complaint Followup	100	2:10 PM 3:05 PM	<input type="checkbox"/>	9/7/2023
-----------------	---------------------------	-----	--------------------	--------------------------	----------

complaint allegations

Tuesday, September 5, 2023:

Caller makes the following allegations. Some of the kitchen staff have long hair and do not wear hair restraints.

They are not wearing gloves and are touching food with bare hands.

The customer ordered fries and chicken nuggets.

She found a hair in her fries. She returned it to the counter and was given a fresh order of fries.

She opened her nuggets box and found a hair in her nuggets.

investigation:

employees are wearing proper hair restraints when and where required under TFER. Some are not, but do fall under the exceptions specifically outlined and permitted by TFER

employees were wearing gloves as and when required. The facility also is equipped with hand sanitizer that does allow for the secondary barrier in addition to hand washing that is permissible and allows direct contact with ready-to-eat foods and eliminates glove use requirements (only under those specific circumstances).

-

9/6/2023	Permit	100	2:10 PM 3:00 PM	<input type="checkbox"/>	9/7/2023
-----------------	---------------	-----	--------------------	--------------------------	----------

complaint inspection conducted in conjunction with permit.

from 9/13/22: corrected

10: clean interior/exterior of Dishwasher (appears to be out of service)

-

McDONALDS - S 31ST

3403 SOUTH 31ST STREET 76502

9/6/2023	Permit	100	10:40 AM 11:30 AM	<input type="checkbox"/>	9/6/2023
-----------------	---------------	-----	----------------------	--------------------------	----------

from 9/13/22

42: minor cleaning for underside of soda self serve nozzles: corrected

-

OLD JODYS

1219 SOUTH 1ST 76504

9/5/2023	Permit	100	10:55 AM 11:15 AM	<input type="checkbox"/>	9/5/2023
-----------------	---------------	-----	----------------------	--------------------------	----------

from previous inspection (9/8/22) all corrected:

10: CLEAN THE GRAY PLASTIC INSIDE ICE MACHINE

42: CLEANN ALL THE DOOR GASKETS ON REACHI IN COOLER

-

SAIGON CAFÉ

220 SW HK DOGEN LOOP 76504

Establishment	Type	Score	In / Out	Follow up Req'd.	Date Insp. Closed
---------------	------	-------	----------	------------------	-------------------

TEMPLE

SAIGON CAFÉ			220 SW HK DOGEN LOOP 76504		
9/6/2023	Permit	92	9:40 AM	<input type="checkbox"/>	9/6/2023

10/42: clean interior and exterior of ice machines. Cleaning required is minor and does not directly affect food.

32: cloth aprons/napkins cannot be used as a shelf liner due to their absorbency. These were being used in that fashion on shelf in dishwash area and in the upright reach in cooler in the grill area.

42: clean dust buildup on wall and attached equipment in dishwash room

clean floor under grill equipment.

clean floor under 3 door cooler by back door

clean exterior surfaces of steam table to left of serve through window between grill and waitress station.

45: repair broken floor tile in front of dish machine.

Service sink or curb cleaning facility provided/ Toilet Facilities clean - 1

Non-Food Contact surfaces clean - 1

Physical facilities installed, maintained, clean - 1

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

Food contact surfaces and returnables; cleaned and sanitized - 3

SHIPLEY DONUTS - MARLANDWOOD			1005 MARLANWOOD STE 121 76502		
9/6/2023	Permit	100	9:05 AM	<input type="checkbox"/>	9/6/2023

from previous inspection:

45: repair leaking faucet at 3 compartment sink.

-

SODALIS-TEMPLE			3002 JACK RABBIT 76502		
9/6/2023	Permit	99	9:45 AM	<input type="checkbox"/>	9/6/2023

from previous inspection

42: clean/reseal walk in cooler floors: corrected

from today

42: walk in cooler floor requires cleaning

Non-Food Contact surfaces clean - 1

SUN'S KITCHEN			1610 SOUTH 31ST SUITE 100 76504		
9/6/2023	Permit	100	11:45 AM	<input type="checkbox"/>	9/6/2023

from previous inspection: all corrected

34: door sweep for rear door

31: hand sink does not have hot water

42: clean floors as needed

-

TNT USA GAS & FOOD			22222 SE HK DODGEN LOOP 76504		
-------------------------------	--	--	-------------------------------	--	--

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	--------------------	----------------------

TEMPLE

TNT USA GAS & FOOD

22222 SE HK DODGEN LOOP 76504

9/5/2023

Permit

100

9:20 AM

9/5/2023

from previous inspection:

9:40 AM

29: no thermometer in hot hold unit. Corrected

-