

Bell County Public Health District

9/8/2023

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
No City					
EPR MFO					
8/10/2023	Permit	100	6:30 AM 7:30 AM	<input type="checkbox"/>	8/10/2023
-					
HAUTE DOG MFO					
8/15/2023	Permit	100	11:00 AM 11:30 AM	<input type="checkbox"/>	8/15/2023
-					
KRAZY K'S FRIED KRABS AND MORE					
8/16/2023	Permit	100	10:00 AM 11:00 AM	<input type="checkbox"/>	8/16/2023
-					
LA PASADITA MFO					
8/31/2023	Permit	100	10:30 AM 11:30 AM	<input type="checkbox"/>	8/31/2023
-					
MegaBites Food Truck					
8/22/2023	Permit	100	12:00 PM 1:00 PM	<input type="checkbox"/>	8/22/2023
-					
MY MY MY GOODNESS MFO					
8/24/2023	Permit	100	11:00 AM 12:00 PM	<input type="checkbox"/>	8/24/2023
-					
SCOOPIN & SQUEEZIN MFO					
8/9/2023	Permit	100	6:45 PM 7:30 PM	<input type="checkbox"/>	8/9/2023
-					
SIMPLY PORK-FECTION!					
8/25/2023	Permit	100	11:30 AM 12:30 PM	<input type="checkbox"/>	8/25/2023
-					
YO'S WOODFIRED PIZZA					
8/24/2023	Permit	100	12:00 PM 1:00 PM	<input type="checkbox"/>	8/24/2023
-					

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

ACADEMY

ACADEMY ELEMENTARY 8P 2R			204 NORTH HWY 95 76554		
8/9/2023	Permit	100	8:00 AM	<input type="checkbox"/>	8/9/2023
previous inspection (1/25/2023) required cleaning (general) in dishwash room: corrected			8:20 AM		
-					

ACADEMY HIGH SCHOOL 8P 2R			602 EAST MAIN 76554		
8/9/2023	Permit	100	9:15 AM	<input type="checkbox"/>	8/9/2023
Note: clean water scale buildup on cart used to hold baskets of pre-packaged condiments			9:35 AM		
-					

ACADEMY MIDDLE SCHOOL 8P 2R			501 EAST MAIN 76554		
8/9/2023	Permit	100	8:45 AM	<input type="checkbox"/>	8/9/2023
from previous inspection of 1/25/2023:			9:15 AM		
29: thermometer replacement repair required for dishmachine (final rinse). This machine is due to be replaced within this fall semester and they have in placed temp. sensitive tape that is used to monitor the machine's sanitization in lieu of the thermometer. This will be allowed as the machine will be replaced.					
Correction Noted					
-					

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

BARTLETT

BARTLETT SCHOOL 8P 2R

609 EAST BECKMAN 76511

8/17/2023

Permit

100

1:00 PM

8/18/2023

1:30 PM

note: water at handwash sink (supply lines) not connected properly: repair required.
Sink does have water supply, but does not work properly (can be used). corrected

-

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

BELTON

BELL COUNTY EXPO (CADENCE BANK CENTER)			301 W. LOOP 121 76513		
8/16/2023	Permit	100	9:00 AM	<input type="checkbox"/>	8/17/2023

FROM PREVIOUS INSPECTION: ALL CORRECTED

concession 1: 42 clean ceiling vent

32 seal wood under soda area

stand 3: 42 clean vents, 32 seal wood under soda

stand 4: 42 clean vents, 32 seal holes

pizza hut: 42 clean floors, clean vents, clean drain areas and around fill hole under popcorn area

special events: 32 replace walk in cooler surfaces

-

BELTON EARLY CHILDHOOD SCHOOL 9P 4R			501 EAST 4TH 76513		
8/29/2023	Permit	100	10:10 AM	<input type="checkbox"/>	8/29/2023
			10:25 AM		

-

BELTON HIGH SCHOOL 9P 4R			600 LAKE ROAD 76513		
8/30/2023	Permit	100	9:30 AM	<input type="checkbox"/>	8/30/2023
			9:50 AM		

-

BELTON HIGH SCHOOL CULINARY ARTS 9P 4R			600 LAKE ROAD 76513		
8/30/2023	Permit	100	9:15 AM	<input type="checkbox"/>	8/30/2023
			9:30 AM		

-

BELTON ISD WAREHOUSE 9P 4R			1220 HUEY ROAD 76513		
8/23/2023	Permit	100	8:40 AM	<input type="checkbox"/>	8/23/2023
			9:00 AM		

-

BELTON MIDDLE SCHOOL 9P 4R			1704 SPARTA ROAD 76513		
8/29/2023	Permit	100	8:55 AM	<input type="checkbox"/>	8/29/2023
			9:15 AM		

-

BRYN OAKS			410 N MAIN 76513		
8/2/2023	Permit	0	11:35 AM	<input type="checkbox"/>	8/2/2023
			12:00 PM		

-

CHISHOLM TRAIL ELEMENTARY SCHOOL 9P 4R			1082 S WHEAT RD 76513		
8/24/2023	Permit	100	10:10 AM	<input type="checkbox"/>	8/24/2023
			10:25 AM		

-

CORONAS DE ORO			219 EAST STREET 76513		
-----------------------	--	--	-----------------------	--	--

Establishment	Type	Score	In / Out	Follow up Req'd.	Date Insp. Closed
---------------	------	-------	----------	------------------	-------------------

BELTON

CORONAS DE ORO

219 EAST STREET 76513

8/2/2023	Permit	6	9:50 AM 10:20 AM	<input type="checkbox"/>	8/2/2023
-----------------	---------------	---	---------------------	--------------------------	----------

SCORE 94

PERMIT APPLICATION NOT ISSUED DUE TO REPETITIVE OCCURRENCE:
REAR DOOR.

32/42 FROM PREVIOUS INSPECTION: REPLACE RUSTED RACKS:
CORRECTED

PAINT BARE WOOD ON STORAGE SHELVES: CORRECTED

45/12:

Rear door on facility has not been repaired as required. The door does not close completely and at the time of the inspection, there is a 3-4 inch gap. There are also a lot of flies outside this door, though none inside.

The door was forcefully closed, but only after the staff saw the inspector looking at it. This shows that employees, while there is a "method" to close, they are not doing it. Another employee used this door shortly after it was forcefully closed, but the staff, once again did not use any method to keep door closed.

only two options remain:

either the door is replaced with a properly functioning door (screen door) or the solid back door will remain closed.

34/42: large gnat presence in bar area due to lack of sanitation. Clean all equipment/floors/walls and hang pest strips as needed.

Non-Food Contact surfaces clean - 1

Physical facilities installed, maintained, clean - 1

No Evidence of Insect contamination, rodent / other animals - 1

Management and employees knowledge, responsibilities and reporting - 3

8/11/2023	Violations Followup	98	8:50 AM 9:15 AM	<input checked="" type="checkbox"/>	8/14/2023
------------------	----------------------------	----	--------------------	-------------------------------------	-----------

45/12:

Rear door on facility has not been repaired as required. The door does not close completely and at the time of the inspection, there is a 3-4 inch gap. There are also a lot of flies outside this door, though none inside.

The door was forcefully closed, but only after the staff saw the inspector looking at it. This shows that employees, while there is a "method" to close, they are not doing it. Another employee used this door shortly after it was forcefully closed, but the staff, once again did not use any method to keep door closed.

only two options remain:

either the door is replaced with a properly functioning door (screen door) or the solid back door will remain closed. corrected

34/42: large gnat presence in bar area due to lack of sanitation. Clean all equipment/floors/walls and hang pest strips as needed.

repeated:

conditions have improved slightly, but lacked the detailed cleaning that would allow for a more efficient means to address presence of gnats. There are conditions present that have not changed indicating that no effort was made to correct. Permit application will be withheld until follow-up on 8/14/2023. at that inspection it is expected that all surfaces and areas in the bar will be cleaned (as previously required) and that pest strips will be hung to capture live gnats and reduce numbers to allow sanitation measures to catch up with control measures.

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Req'd.	Date Insp. Closed
---------------	------	-------	----------	------------------	-------------------

BELTON

CORONAS DE ORO

219 EAST STREET 76513

8/11/2023 Violations Followup

98 8:50 AM
45/12: 9:15 AM 8/14/2023

Rear door on facility has not been repaired as required. The door does not close completely and at the time of the inspection, there as a 3-4 inch gap. There are also a lot of flies outside this door, though none inside.

The door was forceably closed, but only after the staff saw the inspector looking at it. This shows that employees, while there is a "method" to close, they are not doing it. Another employee used this door shortly after it was forceably closed, but the staff, once again did not use any method to keep door closed.

only two options remain:

either the door is replaced with a properly functioning door (screen door) or the solid back door will remain closed. corrected

34/42: large gnat presence in bar area due to lack of sanitation. Clean all equipment/floors/walls and hang pest strips as needed.

repeated:

conditions have improved slightly, but lacked the detailed cleaning that would allow for a more efficient means to address presence of gnats. There are conditions present that have not changed indicating that no effort was made to correct. Permit application will be withheld until follow-up on 8/14/2023. at that inspection it is expected that all surfaces and areas in the bar will be cleaned (as previously required) and that pest strips will be hung to capture live gnats and reduce numbers to allow sanitation measures to catch up with control measures.

No Evidence of Insect contamination, rodent / other animals - 1

Non-Food Contact surfaces clean - 1

8/14/2023 Violations Followup

100 10:55 AM
11:00 AM 8/14/2023

34/42: large gnat presence in bar area due to lack of sanitation. Clean all equipment/floors/walls and hang pest strips as needed.

this item has been corrected to perfection. Permit application is provided.

-

KID ZONE-BELTON

506 NORTH MAIN 76513

8/29/2023 Permit

100 3:00 PM
3:30 PM 8/29/2023

-

LAKE BELTON MIDDLE SCHOOL 9P 4R

8818 TARVER DRIVE 76513

8/24/2023 Permit

100 8:40 AM
8:50 AM 8/24/2023

-

LAKEVIEW BAPTIST CHURCH

7717 N HWY 317 76513

8/2/2023 Permit

0 11:00 AM
11:15 AM 8/2/2023

-

LAKESWOOD ELEMENTARY 9P 4R

11200 EAST FM 2305 76513

8/24/2023 Permit

100 8:50 AM
9:00 AM 8/24/2023

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

BELTON

LAKESWOOD ELEMENTARY 9P 4R			11200 EAST FM 2305 76513		
8/24/2023	Permit	100	8:50 AM 9:00 AM	<input type="checkbox"/>	8/24/2023

LEON HEIGHTS ELEMENTARY 9P 4R			1501 NORTH MAIN 76513		
8/29/2023	Permit	100	8:20 AM 8:40 AM	<input type="checkbox"/>	8/29/2023

LUIGIS ITALIAN RESTAURANT - BELTON			2805 NORTH LOOP 121 STE#B 76513		
8/1/2023	Permit	12	10:50 AM	<input checked="" type="checkbox"/>	
PERMIT APPLICATION WITHHELD UNTIL FOLLOW-UP DATE (8/16/2023)			12:40 PM		8/16/2023

SCORE 88

45/37: Back door does not properly seal due to damage to threshold and edges of door that create gaps when door closes. Repair as needed to provide proper required seal.

45: kitchen floor tiles that are missing must be replaced or other sufficient repairs must be done to eliminate these issues.

45/33 water is leaking under the dishwasher at the booster heater. Repair/replace as necessary

32: dirty storage shelves have bare exposed wood and they are required to be sealed to allow proper cleaning.

shelves in walk in cooler are dirty with food particle build-up and significant rust. Clean racks as required; replace/repair as needed

42: dough racks have build up of food particle on them. Clean racks as needed to prevent food build-up

9: ice machine lid is broken/cracked and provides an opening when closed that exposes ice during storage to air-borne/fallout contamination.

37: vent hood above stove and oven is dirty with build-up of dust and grease. Clean as necessary to prevent contamination

42: clean scale as needed (dirty)

37: a/c vents in kitchen are dirty and require cleaning of built up dust/rust. Repair or replace to create cleanable surfaces.

- Warewashing Facilities; installed, maintained, used - 2
- Food separated and & protected, prevented during food preparation - 3
- Person in charge present, demonstration of knowledge, and CFM - 2
- Food and Non-food Contact surfaces cleanable, properly designed, and used - 2
- Environmental contamination - 1
- Non-Food Contact surfaces clean - 1
- Physical facilities installed, maintained, clean - 1

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

BELTON

LUIGIS ITALIAN RESTAURANT - BELTON

2805 NORTH LOOP 121 STE#B 76513

8/16/2023 **Violations Followup**

98

10:30 AM



8/17/2023

permit applicaotn is issued as all items have been corrected except 32: bare wood shelves require sealing. Pending next inspection's review.

10:50 PM

PERMIT APPLICATION WITHHELD UNTIL FOLLOW-UP DATE (8/16/2023)

SCORE 88

45/37: Back door does not properly seas due to damage to threshold and edges of door that create gaps when door closes. Repair as needed to provide proper required seal.

45: kitchen floor tiles that are missing must be replaced or other sufficient repairs must be done to eliminate these issues.

45/33 water is leaking under the dishmachine at the booster heater. Repair/replace as necessary

32: drty storage shelves have bare exposed wood and they are required to be sealed to allow proper cleaning. **REPEAT**

shelves in walk in cooler are dirty with food particle build-up and significant rust. Clean racks as required; replace/repair as needed

42: dough racks have guild up of food particle on them. Clean racks as needed to prevent food build-up

9: ice machine lid is broken/cracked and provides an opening when closed that exposes ice during storage to air-borne/fallout contmination.

37: vent hood above stove and oven is dirty with build-up of dust and grease. Clean as necessary to prevent contamination

42: clean scale as needed (dirty)

37: a/c vents in kitchen are dirty and require cleaning of built up dust/rust. Repair or replace to create cleanable surfaces.

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

MILLER HEIGHTS ELEMENTARY 9P 4R

1110 FAIRWAY DRIVE 76513

8/24/2023 **Permit**

100

9:45 AM



8/24/2023

10:00 AM

NAMI JAPANESE STEAK & SUSHI

109 WEST AVENUE O #B 76513

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

BELTON

NAMI JAPANESE STEAK & SUSHI

109 WEST AVENUE O #B 76513

8/16/2023 Permit

96

10:00 AM



PERMIT APPLICATION IS WITHHELD UNTIL FOLLOW-UP DATE OF 8/30/2023 DUE TO CONDITIONS SURROUNDING HIBATCHI GRILL SANITATION.

11:00 AM

8/30/2023

32/42/45: hibatchi grills are dirty with excessive buildup on tables supporting grill, the grill itself, floors, walls and surrounding surfaces behind and under the grill area. This issue has been addressed before and based on the cleaning schedule set by management, staff are apparently not adhering to the schedule (clean one grill each day of the week and then rotate back to beginning). The amount of buildup and location of buildup, despite the facility having made the grills easier to move away from surrounding counters, indicates that staff are not following that schedule. There was one grill that could not be moved because the shut of valve (gas) to grill could not be turned (frozen open) which means the staff have no way to pull grill away from enclosure.

these grills are required to be cleaned under the following schedule: 2 grills cleaned each day for 3 consecutive days, then rotate back to original two. There will be no exceptions to this, unless it is discovered that this schedule does not accomplish the level of sanitation required.

32/42: interior wall of the hibatchi grill enclosures are bare, unsealed cement backing board (fireproof barrier required) that are very dirty. The level of cleaning effort that might be required, along with the chemicals that might be required to remove soaked in grease, may damage wall. At the very least these walls will require cleaning and then sealing with a clear coat solution so the walls are easily cleanable.

42: detailed deep cleaing required for buildup up accumulation under bar/sushi prep stations (all)

42/45: clean floors/walls in kithen as necessary

45: replace missing corner door trim where required

Physical facilities installed, maintained, clean - 1

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

Non-Food Contact surfaces clean - 1

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

BELTON

NAMI JAPANESE STEAK & SUSHI

109 WEST AVENUE O #B 76513

8/30/2023

Violations Followup

100

10:00 AM



8/30/2023

all items corrected. Permit application issued

10:15 AM

PERMIT APPLICATION IS WITHHELD UNTIL FOLLOW-UP DATE OF 8/30/2023 DUE TO CONDITIONS SURROUNDING HIBATCHI GRILL SANITATION.

32/42/45: hibatchi grills are dirty with excessive buildup on tables supporting grill, the grill itself, floors, walls and surrounding surfaces behind and under the grill area. This issue has been addressed before and based on the cleaning schedule set by management, staff are apparently not adhering to the schedule (clean one grill each day of the week and then rotate back to beginning). The amount of buildup and location of buildup, despite the facility having made the grills easier to move away from surrounding counters, indicates that staff are not following that schedule. There was one grill that could not be moved because the shut of valve (gas) to grill could not be turned (frozen open) which means the staff have no way to pull grill away from enclosure.

these grills are required to be cleaned under the following schedule: 2 grills cleaned each day for 3 consecutive days, then rotate back to original two. There will be no exceptions to this, unless it is discovered that this schedule does not accomplish the level of sanitation required.

32/42: interior wall of the hibatchi grill enclosures are bare, unsealed cement backing board (fireproof barrier required) that are very dirty. The level of cleaning effort that might be required, along with the chemicals that might be required to remove soaked in grease, may damage wall. At the very least these walls will require cleaning and then sealing with a clear coat solution so the walls are easily cleanable.

42: detailed deep cleaning required for buildup up accumulation under bar/sushi prep stations (all)

42/45: clean floors/walls in kitchen as necessary

45: replace missing corner door trim where requi

-

NOMADS

2502 LAKE ROAD 76513

8/30/2023

Permit

99

8:50 AM



8/30/2023

42: CLEAN BUILDUP ON REACH IN COOLER FAN: REPEAT/ repeat 8/302023

9:20 AM

Non-Food Contact surfaces clean - 1

PIRTLE ELEMENTARY 9P 4R

719 SOUTH PEA RIDGE ROAD 76513

8/24/2023

Permit

100

8:20 AM



8/24/2023

8:30 AM

-

SOL DE JALISCO - BELTON

2100 NORTH MAIN 76513

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

BELTON

SOL DE JALISCO - BELTON

2100 NORTH MAIN 76513

8/28/2023 Permit

96

10:20 AM
10:50 AM



8/28/2023

from inspection of 9/12/2022:

42: clean surface of hot unit above serve-through window in kitchen. OK

45: replace torn walk in cooler door gasket. REPEAT

42/45: repair splash guard around hand sink. It is severely rusted, dirty and cannot be cleaned

32/42: duct tape being used to attach vinyl cover on counter at wait station and being used to hold parts of chest cooler handles/door together. This is a prohibited material for this purpose as it cannot be kept clean. Currently it is dirty.

42: clean can storage rack
clean a/c intake vent above cutting board table in back prep room

clean a/c vents/ceilings as/where needed

clean floor under and around deep fryer of accumulated grease

clean walk in cooler fan unit and fan guards.

Physical facilities installed, maintained, clean - 1

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

Non-Food Contact surfaces clean - 1

SONIC - CENTRAL

814 EAST CENTRAL AVE 76513

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

BELTON

SONIC - CENTRAL			814 EAST CENTRAL AVE 76513		
8/15/2023	Complaint Followup	100	3:30 PM 4:15 PM	<input type="checkbox"/>	8/17/2023

allegations:

Caller makes the following allegations:
 While parked in the stall she could see directly into the building.
 She observed an employee sitting and eating her food in the food prep area.
 She observed the employee licking her fingers.
 The employee then delivered the food to the complainant she did not wash her hands.

INVESTIGATION:

employees have designated area for eating/drinking and is approved by TFER standards. Did not observed any conditions that contradict improper eating/drinking in areas otherwise unapproved.

witnessed several employees properly washing hand as/when/and where needed. Observed proper glove use.

spoke with GM and AGM about the what was alleged to have been observed with regards to specific employee and "licking her fingers". Nothing like that observed at this time. GM/AGM will have a conversation with staff regarding this allegation and especially since break area is very visible to public.

no further actions required.

these items were shown as corrected from 4/3/2023:

- 42: clean backside of coffee maker
- 45: replace missing wall tile by sink in grill area

SOUTH BELTON MIDDLE SCHOOL 9P 4R			805 SAGEBRUSH 76513		
8/24/2023	Permit	100	9:25 AM 9:40 AM	<input type="checkbox"/>	8/24/2023

SOUTHWEST ELEMENTARY 9P 4R			702 SOUTH CONNELL 76513		
8/29/2023	Permit	100	9:40 AM 10:00 AM	<input type="checkbox"/>	8/29/2023

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

BELTON

SPARTA ELEMENTARY 9P 4R			1800 SPARTA ROAD 76513		
8/29/2023	Permit	100	9:15 AM 9:55 AM	<input type="checkbox"/>	8/29/2023

STONEY BROOK ASSISTED LIVING			500 RIVER FAIR BLVD 76513		
8/1/2023	Permit	5	2:50 PM 3:50 PM	<input type="checkbox"/>	8/2/2023

SCORE: 95

From previous inspection 8/2022

32/42/45: FLOORS THAT ARE NO LONGER SEALED REQUIRE REPAIR/REPLACEMENT-THIS HAS BEEN AN ONGOING ISSUE & IS REQUIRED TO BE REPAIRED-THEY CAN NO LONGER BE CLEANED PROPERLY. Repeat, however, they have provided bid paperwork showing that the floor repairs will begin as soon as that process has begun. Will follow up on next inspection.

41: Bulk food items that are out of original packaging/container and stored in bulk bins must be labeled with common name of item unless the item is readily recognized (beans, rice, etc.).

Physical facilities installed, maintained, clean - 1

Non-Food Contact surfaces clean - 1

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

Original container labeling (Bulk Food) - 1

TARVER ELEMENTARY SCHOOL 9P 4R			7949 STONEHOLLOW DRIVE 76513		
8/31/2023	Permit	100	9:30 AM 9:40 AM	<input type="checkbox"/>	8/31/2023

UMHB			900 College St 76513		
8/14/2023	Permit	100	9:45 AM 10:30 AM	<input type="checkbox"/>	8/14/2023

from 8/18/22:

#10: ICE MACHINE-BUILDUP CLEAN.
#42: OVEHEARD SURFACES-SPRAY AREAS-PREP AREAS, ETC THROUGHOUT FACILITY.

corrected

WASKOW NEW TECH HIGH SCHOOL 9P 4R			304 NORTH BLAIR 76513		
8/29/2023	Permit	100	10:25 AM 10:40 AM	<input type="checkbox"/>	8/29/2023

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

HARKER HEIGHTS**BARNES & NOBLE CAFÉ**

201 E CTE, SUITE 1100 76548	8/9/2023	Permit	99	1:50 PM 2:30 PM	<input type="checkbox"/>	8/10/2023
42: dirt buildup underneath counters and cabinets requires cleaning Non-Food Contact surfaces clean - 1						

BEST WESTERN

511 PAN AMERICAN DR 76548	8/22/2023	Permit	98	8:15 AM 8:40 AM	<input type="checkbox"/>	8/22/2023
22: must update and get new food handler certification for staff Food handler / no unauthorized persons / personnel - 2						

CEFCO #86

500 EAST FM 2410 76548	8/9/2023	Permit	99	2:35 PM 3:10 PM	<input type="checkbox"/>	8/10/2023
42: floor areas where soda syrup station is are dirty and sticky and require cleaning Non-Food Contact surfaces clean - 1						

CHEDDARS CASUAL CAFÉ

201 E CENTRAL TX EXPY 76548	8/17/2023	Permit	100	10:30 AM 10:55 AM	<input type="checkbox"/>	8/17/2023
-						

DISCOVERY LEARNING CENTER

2314 INDIAN TRAIL 76548	8/11/2023	Permit	100	8:15 AM 8:30 AM	<input type="checkbox"/>	8/11/2023
-						

HARKER HEIGHTS EARLY HEAD STAR

120 SOUTH HARLEY 76548	8/8/2023	Permit	100	8:40 AM 8:55 AM	<input type="checkbox"/>	8/8/2023
-						

HARKER HEIGHTS HEADSTART

200 SOUTH HARLEY 76548	8/8/2023	Permit	100	9:00 AM 9:10 AM	<input type="checkbox"/>	8/8/2023
-						

LONE STAR SALOON

1506 E. VMB 76548	8/24/2023	Routine	98	1:00 PM 1:30 PM	<input type="checkbox"/>	8/25/2023
32: hand wash sink legs are not a cleanable surface and are required to be. Legs should be sealed to meet this standards (paint/clearcoat)						

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

MCDONALDS - INDIAN TRAIL

630 INDIAN TRAIL 76548	8/3/2023	Permit	0	9:45 AM 10:10 AM	<input type="checkbox"/>	8/3/2023
-						

MICKEYS #8

552 W. VMB 76548

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

HARKER HEIGHTS

MICKEYS #8			552 W. VMB 76548		
8/8/2023	Permit	100	9:20 AM 9:55 AM	<input type="checkbox"/>	8/9/2023
42: clean ceiling and sides of the walk in cooler units. clean walk in beer cooler floor of trash and debris defrost ice buildup in ice cream freezer clean soda dispenser to include build-up in the ice dispenser components of this equipment. -					

MONARCH JR @HEIGHTS			2315 INDIAN TRAIL 76548		
8/7/2023	Permit	100	1:00 PM 1:30 PM	<input type="checkbox"/>	8/9/2023
-					

OASIS BINGO			715 EDWARDS DRIVE 76548		
8/10/2023	Permit	100	9:50 AM 10:10 AM	<input type="checkbox"/>	8/15/2023
-					

PALMERAS TEX-MEX			201 E CTE STE 1460 76548		
8/17/2023	Permit	92	2:00 PM 2:30 PM	<input type="checkbox"/>	8/18/2023
7: observed two lemons in case in walk in cooler. Lemons were severely moldy. Removed. No other lemons showed this condition COS 10: slicer is dirty with dried up/old food. The slicer was not used today indicating this is the condition it was left from previous day. Periodic and mandatory wash rinse sanitize procedures must be adhered to especially when the item is to be shut down for operations. COS. 42: clean under and around various equipment as and where needed at grill clean racks used to store pots/pans/large utensils in dishwash room 45: replace/clean/repair walk in cooler racks (rusted). Physical facilities installed, maintained, clean - 1 Non-Food Contact surfaces clean - 1 Food contact surfaces and returnables; cleaned and sanitized - 3 Food and ice obtained from approved source; good condition, safe - 3					

PFEIFERS BAKERY			716 INDIAN TRAIL 76548		
8/10/2023	Permit	100	10:20 AM 10:45 AM	<input type="checkbox"/>	8/15/2023
-					

PHO-4-U			480 E. FM 2410, STE #400 76548		
----------------	--	--	--------------------------------	--	--

HARKER HEIGHTS

PHO-4-U			480 E. FM 2410, STE #400 76548		
8/1/2023	Permit	2	10:20 AM	<input type="checkbox"/>	8/1/2023
SCORE 98			10:45 AM		

42: clean a/c vents and adjoining ceiling tiles as and where needed

42 clean tray racks as needed

45: repair damaged floor tiles: recommend epoxy based cement patch

Non-Food Contact surfaces clean - 1

Physical facilities installed, maintained, clean - 1

SMART BEGINNINGS LEARNING CENTER			611 SOUTH ANN BLVD 76548		
8/30/2023	Permit	100	9:35 AM	<input type="checkbox"/>	8/31/2023
-			9:50 AM		

SO NATURAL ORGANIC RESTAURANT & MARKET			706 EDWARDS DR, STE G 76548		
8/22/2023	Permit	100	2:50 PM	<input type="checkbox"/>	8/23/2023
-			3:15 PM		

TEXAS TYKES ACADEMY, INC			1700 FM 2410 76548		
8/4/2023	New Ownership Permit	100	8:35 AM	<input type="checkbox"/>	8/8/2023
Note: not going to have food prep at this time...pending future use, but for now, not applicable.			9:15 AM		

TROPICAL SMOOTHIE CAFÉ			300 E CTE SUITE 400 76548		
8/9/2023	Permit	100	3:15 PM	<input type="checkbox"/>	8/10/2023
-			3:40 PM		

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

HOLLAND

HOLLAND SCHOOL 8P 2R			100 ROSE LANE 76534		
8/17/2023	Permit	100	1:50 PM	<input type="checkbox"/>	8/18/2023
			2:15 PM		
<p>42: minor cleaning required for walk in cooler floor and wheels on rolling racks in this cooler (from 1/25/23: corrected)</p>					

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	--------------------	----------------------

KILLEEN

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
POOH'S CREATIVE LEARNING CENTER			2904 TRIMMIER #5 76542		
8/8/2023	Permit	100	1:40 PM 2:00 PM	<input type="checkbox"/>	8/9/2023
-					
8/10/2023	Permit	100	8:20 AM 8:30 AM	<input type="checkbox"/>	8/10/2023
-					

Establishment	Type	Score	In / Out	Follow up Req'd.	Date Insp. Closed
---------------	------	-------	----------	------------------	-------------------

KILLEEN

440 MART			1704 OLD FM 440 RD 76549		
8/9/2023	Permit	96	9:50 AM	<input type="checkbox"/>	8/10/2023

42: Dr. Pepper reach in cooler has mold on drink racks and shelves and requires cleaning

coca- cola cooler has soda spatter on inside back of unit and requires cleaning

7 up reach in cooler requires cleaning on bottom shelf of dirt and buildup

clean moldy shelving on other coolers as needed

egg/meat reach in cooler is moldy on outside facing the same cooler as above

the walkin beer cooler exhaust fan guards are dirty and require cleaning

floor is dirty in mop sink area and requires cleaning/beverage cases sitting directly on the ground and must be 6 inches or more above the ground

45: mop sink area outside beer coler is missing a portion of the ceiling directly above the mop sink. Replace missing tile

44: in the soda connection closet, there is trash on the floor and it is being used to store numerous items such as full and empty co2 containers, equipment, and random items that are thrown into the closet. Area requires cleaning, organizing to eliminate clutter, and easily accessible to properly and in a low risk manner, change soda syrup and co2 containers without risk of contamination.

46: toilet facilities are not properly stocked: no paper towels or hand dryer for use after washing hands

- Service sink or curb cleaning facility provided/ Toilet Facilities clean - 1
- Non-Food Contact surfaces clean - 1
- Garbage and Refuse properly disposed; facilities maintained - 1
- Physical facilities installed, maintained, clean - 1

BAMBINOS CHILD CARE			2802 ILLINIOS 76543		
8/15/2023	Permit	100	1:50 PM	<input type="checkbox"/>	8/18/2023
			2:15 PM		

BJ LUCKY MART			1511 S. FT HOOD 76542		
8/16/2023	Permit	93	9:30 AM	<input type="checkbox"/>	8/18/2023

31: Hand sink behind counter and in restroom are not properly supplied with towels. Proper hand drying devices are required at hand wash stations. COS

42: walk in beer cooler has dust collecting on fan unit. Cleaning required. Dust also collecting on ceiling that requires cleaning. This cooler's floors also required attention and cleaning (debris/trash)

43: walk in beer cooler lacks adequate lighting: there are missing bulbs and inoperable light fixtures that require replacement/repair.

45/46/44: physical facilities allow for areas to fall into and harbor dirt, debris, trash and dead crickets. These areas are underneath shelves, in the walk in cooler and other areas through the facility. The rest room trash can is overflowing and requires attention.

- Adequate handwashing facilities; Accessible and properly supplied, used - 2
- Service sink or curb cleaning facility provided/ Toilet Facilities clean - 1
- Physical facilities installed, maintained, clean - 1

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

BJ LUCKY MART

1511 S. FT HOOD 76542

8/16/2023 Permit

93

9:30 AM
10:20 AM

8/18/2023

31: Hand sink behind counter and in restroom are not properly supplied with towels. Proper hand drying devices are required at hand wash stations. COS

42: walk in beer cooler has dust collecting on fan unit. Cleaning required. Dust also collecting on ceiling that requires cleaning. This cooler's floors also required attention and cleaning (debris/trash)

43: walk in beer cooler lacks adequate lighting: there are missing bulbs and inoperable light fixtures that require replacement/repair.

45/46/44: physical facilities allow for areas to fall into and harbor dirt, debris, trash and dead crickets. These areas are underneath shelves, in the walk in cooler and other areas through the facility. The rest room trash can is overflowing and requires attention.

Adequate ventilation and lighting; designated areas used - 1

Non-Food Contact surfaces clean - 1

Garbage and Refuse properly disposed; facilities maintained - 1

BRAZOS BILLIARD

2704 E. VMB 76543

8/16/2023 Permit

100

3:00 PM
3:30 PM

8/18/2023

-

BUFFALO WILD WINGS

2401 EAST CTE 76543

8/21/2023 Permit

98

9:40 AM
10:10 AM

8/21/2023

FROM INSPECTION OF 8152022:

34: Gnats in bar: repeat

appears that the general sanitation at bar is not the issue as it is clean. They are congregating around the alcohol and beer taps. Need to hang pest strips and consult with professional pest control. May need some spot cleaning, but overall, the bar is very clean.

42: clean the mold from the underside of soda machine next to check out station

clean the wall next to the serve through window (grill side).

Overall general sanitation very good.

No Evidence of Insect contamination, rodent / other animals - 1

Non-Food Contact surfaces clean - 1

CHURCHS FRIED CHICKEN - E VMB

2616 E VMB 76543

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

CHURCHS FRIED CHICKEN - E VMB

2616 E VMB 76543

8/15/2023

Complaint Followup

94

10:10 AM



10:40 AM

8/29/2023

Customer makes the following allegations:

1. Restaurant is filthy on the inside.
2. Nasty on the outside.
3. The walls and windows are beyond filth. Need to be cleaned.
4. Floors need to be swept and mopped.

Investigation:

Allegation:

1. restaurant is not filthy by definition of term, but attention is needed in the following areas:

42: clean floor under and around equipment as/where needed

clean other surfaces as/where needed

45: repair damaged walls/floors as required

32/42: damaged walls in walk in cooler are required to be repaired to allow these surfaces to be cleaned as required

32 repair damage to other walls as needed

2. the restaurant itself is old, but for the outside premises, the damage to parking lot/side walks etc. is not a violation of TFER. The only thing of consideration in this respect is the deep fryer

34/37: old deep fryer in parking lot is caked with grease and food particles. This item must be removed as it is attracting insects (flies).

3. walls/windows in lobby are clean....the windows show streaking from the cleaning process, but this is an aesthetic issue that does not rise to the level of any violation.

4. see #1 regarding floor maintenance and cleaning required. The lobby floor is very clean at this time

Non-Food Contact surfaces clean - 1

Environmental contamination - 1

No Evidence of Insect contamination, rodent / other animals - 1

Physical facilities installed, maintained, clean - 1

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

CHURCHS FRIED CHICKEN - E VMB			2616 E VMB 76543		
8/29/2023	Complaint Followup	100	1:30 PM	<input type="checkbox"/>	8/29/2023
from complaint of 8/15/2023			2:00 PM		

all items repeated, not repaired or corrected. Facility is closed until repairs and cleaning have been done.

spoke with owner of the franchise who was made aware that no follow-up was scheduled as they are to remain closed until such time as conditions have been remedied. The time it takes to be able to open under the standards required is dependent upon corrective actions and success in achieving those conditions.

42: clean floor under and around equipment as/where needed

clean other surfaces as/where needed

45: repair damaged walls/floors as required

32/42: damaged walls in walk in cooler are required to be repaired to allow these surfaces to be cleaned as required

32 repair damage to other walls as needed

34/37: old deep fryer in parking lot is caked with grease and food particles. This item must be removed as it is attracting insects (flies).

CTC CAFETERIA			6200 WEST CTE BLDG 156 76540		
8/17/2023	Permit	99	8:30 AM	<input type="checkbox"/>	8/17/2023
42: clean floor under fryers in front service area			9:00 AM		
Non-Food Contact surfaces clean - 1					

DAIQUIRI FUSION/BOOZY BEANS - KILLEEN			1207 S FORT HOOD ST 76542		
8/23/2023	Permit	99	11:00 AM	<input type="checkbox"/>	8/23/2023
42: replace missing threshold on the rear exit door. Daylight can be seen as the device is missing. May use a door sweep as well.			11:00 AM		
Physical facilities installed, maintained, clean - 1					

DAIRY QUEEN - S FORT HOOD			1220 S FORT HOOD ST 76542		
8/7/2023	Permit	99	9:35 AM	<input type="checkbox"/>	8/7/2023
SCORE 99			10:00 AM		

OVERALL GENERAL SANITATION VERY GOOD!

from previous inspection:

#45: REPAIR THE LEAKING PIPE AT 3 COMP SINK. CORRECTED

8/7/2023:

45: replace damaged wall coving by soft serve fudge dispensing table

45: repair ceiling in walk in cooler because of a leak (slight dripping) that is causing water to pool in the corners and under the shelves. It currently is not posing a direct threat to the food. In the interim, be sure to use mop to remove excess pooling water as often as necessary to reduce pooling concern.

NOTE: repair, as needed, the wall behind new a/c units in rear storage room.

Physical facilities installed, maintained, clean - 1

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN**FAMILY DOLLAR - E SS LOOP**

3919 EAST SS LOOP 76542	8/9/2023	Permit	96	2:20 PM	<input type="checkbox"/>	8/9/2023
-------------------------	----------	--------	----	---------	--------------------------	----------

22: no proof of food handler certification available, must show proof

2:45 PM

42: spill on floor in back storage area has dried to a sticky mess

46: restroom has no soap or toilet paper

Service sink or curb cleaning facility provided/ Toilet Facilities clean - 1

Non-Food Contact surfaces clean - 1

Food handler / no unauthorized persons / personnel - 2

FAMILY DOLLAR #11122 - W SS LOOP

105 W. SS LOOP 76542	8/7/2023	Permit	98	2:20 PM	<input type="checkbox"/>	8/9/2023
----------------------	----------	--------	----	---------	--------------------------	----------

27: top two shelves of ice cream freezer has frost buildup on the ice cream product packaging. This is in the back of the unit. Need to repair problem with this ice buildup so product is not encased in ice.

2:40 PM

Proper cooling method used; Equipment adequate to maintain proper temp - 2

FUN TIME LEARNING CENTER

441 NORTH 38TH 76543	8/21/2023	Permit	100	2:20 PM	<input type="checkbox"/>	8/22/2023
----------------------	-----------	--------	-----	---------	--------------------------	-----------

2:40 PM

-

HALLMARK LANES CAFETERIA

4203 SHAWN DR 76542	8/8/2023	Permit	99	2:55 PM	<input type="checkbox"/>	8/9/2023
---------------------	----------	--------	----	---------	--------------------------	----------

42: grease build-up on deep fryers and under pizza oven. Clean as needed

3:25 PM

Non-Food Contact surfaces clean - 1

HANDY STOP GROCERY

426 NORTH GILMER 76541	8/22/2023	Permit	100	9:00 AM	<input type="checkbox"/>	8/22/2023
------------------------	-----------	--------	-----	---------	--------------------------	-----------

9:20 AM

-

HAWAII POKE

902 W. CTE, SUITE 1 76541	8/23/2023	Permit	99	2:25 PM	<input type="checkbox"/>	8/25/2023
---------------------------	-----------	--------	----	---------	--------------------------	-----------

36 observed improper storage for wiping cloths. Wet wiping cloths were not stored in sanitizing solution between uses as required. COS

2:50 PM

Wiping Cloths; properly used and stored - 1

JUST FOR TOTS #2

2901 W ELMS BLDG B 76549	8/29/2023	Permit	100	9:45 AM	<input type="checkbox"/>	8/31/2023
--------------------------	-----------	--------	-----	---------	--------------------------	-----------

INSPECTION DONE FOR MARCH 2023 (DUE)

10:05 AM

-

K POT KOREAN BBQ & HOT POT

1501 E. CTE 76541	8/23/2023	Routine	100	1:30 PM	<input type="checkbox"/>	8/25/2023
-------------------	-----------	---------	-----	---------	--------------------------	-----------

2:15 PM

-

KISD CENTRAL WAREHOUSE 9P 1R

5708 EAST VMB 76543						
---------------------	--	--	--	--	--	--

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

KISD CENTRAL WAREHOUSE 9P 1R			5708 EAST VMB 76543		
8/23/2023	Permit	100	9:40 AM 10:15 AM	<input type="checkbox"/>	8/23/2023

KOINONIA CHILDRENS ACADEMY			3701 W. SS LOOP 76549		
8/1/2023	Permit	0		<input type="checkbox"/>	8/1/2023

note: clean floors in kitchen to prevent dirt/food residue buildup....

MARLBORO HEIGHTS HEAD START			918 REV. R.A. ABERCROMBIE 76543		
8/8/2023	Permit	100	10:15 AM 10:30 AM	<input type="checkbox"/>	8/9/2023

MCDONALDS - (4622) S. FT HOOD			4622 S. FT HOOD RD 76549		
8/7/2023	Permit	100	10:10 AM 10:35 AM	<input type="checkbox"/>	8/7/2023

SCORE 100

General sanitation good!

MCDONALDS - S FORT HOOD			1105 S FORT HOOD 76541		
8/7/2023	Permit	96	8:50 AM 9:30 AM	<input type="checkbox"/>	8/7/2023

27: walk in cooler temperature showing 51 on external digital thermometer, unit on "defrost". Food temperatures "marginal" (corrected: see the narration that follows)

cheese 53 F
eggs (commercial cooked) 51 F
Butter 49 F

the unit's air temperature at fan (via ir thermometer) is 50 F, based on the elevated temperatures of the existing food, the fact that the eggs were thawing and moved up to the ambient temperature, it appears that there is a mechanical problem with the refrigerator. A repair request was immediately called at the time of this inspection. The facility sent text message at 11:40 AM showing the ambient air temperature has now dropped to 39 F. Based on the time frame, this is within reasonable consideration and the unit will be able to function to rapidly cool the foods that were elevated.

45: door sweep on rear door requires repair/replacement as there is a gap visibly allowing light and large enough to not be an effective barrier/preventive to pest/insect infiltration.

42: minro as needed cleaning under and around equipment at front (Drive through and coffee service.

Physical facilities installed, maintained, clean - 1

Non-Food Contact surfaces clean - 1

Proper cooling method used; Equipment adequate to maintain proper temp - 2

MICKEYS #1			3802 E SS LOOP 76543		
-------------------	--	--	----------------------	--	--

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

MICKEYS #1					
-------------------	--	--	--	--	--

3802 E SS LOOP 76543

8/10/2023 Permit

90

1:20 PM
2:25 PM

8/15/2023

34/45: hall and wall portion of the store is dirty and has dead crickets going toward the door of the walk in beer cooler. Ice freezer is leaking into a bucket and the majority of the dead crickets are located under and behind ice freezer. Continue with pest control and clean up dead insects as needed.

46: toilet facilities are not properly stocked with soap and paper towels. Mens restroom requires cleaning.

7/41: (COS): pigs in the blanket are not in the original package and there is not date on these items. These items have been removed from the package and lack labeling as they are set out for individual service. They are required to be properly labeled. There are also several that are moldy and cannot be used.

22: no food handler certificates are available to be verified.

43: the lighting in the walk in beer cooler is not adequate. Three of the five light bulbs do not work and one is very dim making it difficult to see in cooler. As for the reach in portion of this same cooler, five of the LED lights are only working 50%. Repair/replace lights as needed to provide adequate lighting.

- No Evidence of Insect contamination, rodent / other animals - 1
- Food and ice obtained from approved source; good condition, safe - 3
- Physical facilities installed, maintained, clean - 1
- Adequate ventilation and lighting; designated areas used - 1
- Food handler / no unauthorized persons / personnel - 2
- Non-Food Contact surfaces clean - 1
- Service sink or curb cleaning facility provided/ Toilet Facilities clean - 1

MICKEYS #2					
-------------------	--	--	--	--	--

2000 TRIMMIER 76541

8/8/2023 Permit

99

1:40 PM
2:10 PM

8/10/2023

42: Ozarka reach in cooler has wet mold on the racks and potential drop this residue onto the tops of other items stored within the unit.

walk in beer cooler has a lot of mold build up and requires cleaning

microwave is very dirty and requires cleaning

follow-up to be conducted 8/10/2023 to ensure item has been corrected.

Permit application withheld pending corrections.

- Non-Food Contact surfaces clean - 1

8/10/2023 Violations Followup

100

4:25 PM
4:35 PM

8/15/2023

42: Ozarka reach in cooler has wet mold on the racks and potential drop this residue onto the tops of other items stored within the unit.

walk in beer cooler has a lot of mold build up and requires cleaning

microwave is very dirty and requires cleaning

all these items from 8/8/2023 have been corrected: permit application is issued

-

MICKEYS #20					
--------------------	--	--	--	--	--

3001 OLD FM 440 76542

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

MICKEYS #20			3001 OLD FM 440 76542		
8/7/2023	Permit	99	3:00 PM	<input type="checkbox"/>	8/9/2023
42: clean both coffee units and soda unit nozzles of buildup					
beer cooler floor needs cleaning of trash and debris, product should be 6 inches off floor					
second group of exhaust fan guards have build up that requires cleaning					
clean counter under soda machine					
clean white board inside ice maker					
Non-Food Contact surfaces clean - 1					

MICKEYS #21			4302 EAST SS LOOP 76543		
8/15/2023	Routine	96		<input type="checkbox"/>	8/15/2023
from inspection of 8/3/2022:					
42: Repair hole in wall: repeat					
30: food permit was not processed last year and this new applicaton today must be processed within 10 days. If not, then the health district wil request citation from city.					
42: clean walk in cooler of mold/mildew buildup					
45: tighten loose toilet seat.					
Physical facilities installed, maintained, clean - 1					
Non-Food Contact surfaces clean - 1					
Food Establishment Permit (Current, Valid, and Posted) - 2					

MICKEYS #3			902 W. JASPER DRIVE 76542		
8/15/2023	Permit	96	9:20 AM	<input type="checkbox"/>	8/15/2023
30. permit was never processed/obtained previous year. Facility will have 10 business days to process, period!. If not complete, city will be requested to issue citation.					
42: clean floor under small and large soda syrup racks in rear storage room					
45: repair wall near mop sink in rear storage room.					
Food Establishment Permit (Current, Valid, and Posted) - 2					
Physical facilities installed, maintained, clean - 1					
Non-Food Contact surfaces clean - 1					

MICKEYS #5			4701 CLEAR CREEK RD 76542		
8/8/2023	Permit	98	10:40 AM	<input type="checkbox"/>	8/9/2023
from inspection of 8/16/2022					
43: lights in beer cooler do not work and must be repaired to work: Repeat					
from this inspection:					
42: clean out walk in beer cooler doors, clean insde beer cooler ceiling.					
Adequate ventilation and lighting; designated areas used - 1					
Non-Food Contact surfaces clean - 1					

MR. SWEETS			4201 OLD FLORENCE RD. STE 105 76542		
-------------------	--	--	-------------------------------------	--	--

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Req'd.	Date Insp. Closed
---------------	------	-------	----------	------------------	-------------------

KILLEEN

MR. SWEETS			4201 OLD FLORENCE RD. STE 105 76542		
8/24/2023	Permit	100	1:50 PM 2:10 PM	<input type="checkbox"/>	8/25/2023

NAMI 3			722 SOUTH FORT HOOD 76543		
8/22/2023	Permit	89	10:30 AM 11:15 AM	<input checked="" type="checkbox"/>	8/31/2023

from inspection of 9/6/22:

- 32: CLEAN/PAINT/RESEAL DIRTY WOOD CABINET ACROSS FROM 3-COMPARTMENT SINK repeat
- 42: CLEAN OR REPLACE DIRTY DOOR GASKET IN REACH IN COOLER BESIDE FREEZER. Corrected

from this inspection: Permit application is withheld until follow-up, 8/31/2023

45/42: repair/replace laminate material for counter in sushi prep area: cannot use duct tape as means of repair for surfaces in this area. The tape and surrounding surfaces are dirty.

32/42: hibatchi grill areas (underneath grill and supporting structures and surfaces in that area) are extremely dirty and has carpet left from the process of adding tile to the floor. This carpet is extremely saturated with grease and is filthy. Carpet must be removed and a very good/detailed cleaning of the area is required.

42/23/31: bar area requires good detailed cleaning under and around equipment. The hand sink at the bar has no hot water due to a leaking shut off valve. This hand sink also did not have proper supplies.

31: one of the two restrooms (employee) is without paper towels (one closest to water heater). Must properly supply hand wash sinks.

42: clean all floor drains that need this attention.

clean any surface or equipment in kitchen that needs such attention

32/42: any rusted metal rack, shelf or other such equipment must be made/repared to be easy to clean. Those that need this attention are visibly dirty. This does not preclude the necessity to replace any of these items that cannot be brought back into a state as to be easy to clean.

10: clean rolling tray rack located in the walk in cooler

32: replace any broken lid or container

- Physical facilities installed, maintained, clean - 1
- Non-Food Contact surfaces clean - 1
- Food and Non-food Contact surfaces cleanable, properly designed, and used - 2
- Adequate handwashing facilities; Accessible and properly supplied, used - 2
- Hot and Cold Water available; adequate pressure, safe - 2
- Food contact surfaces and returnables; cleaned and sanitized - 3

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

NAMI 3			722 SOUTH FORT HOOD 76543		
---------------	--	--	---------------------------	--	--

8/31/2023	Violations Followup	100	10:55 AM	<input type="checkbox"/>	8/31/2023
------------------	----------------------------	-----	----------	--------------------------	-----------

from previous inspection: all corrected....permit application is issued

32: CLEAN/PAINT/RESEAL DIRTY WOOD CABINET ACROSS FROM 3-COMPARTMENT SINK

45/42: repair/
replace laminate material for counter in sushi prep area: cannot use duct tape as means of repair for surfaces in this area. The tape and surrounding surfaces are dirty.

32/42: hibatchi grill areas (underneath grill and supporting structures and surfaces in that area) are extremely dirty and has carpet left from the process of adding tile to the floor. This carpet is extremely saturated with grease and is filthy. Carpet must be removed and a very good/detailed cleaning of the area is required.

42/23/31: bar area requires good detailed cleaning under and around equipment. The hand sink at the bar has no hot water due to a leaking shut off valve. This hand sink also did not have proper supplies.

31: one of the two restrooms (employee) is without paper towels (one closest to water heater). Must properly supply hand wash sinks.

42: clean all floor drains that need this attention.

clean any surface or equipment in kitchen that needs such attention

32/42: any rusted metal rack, shelf or other such equipment must be made/repared to be easy to clean. Those that need this attention are visibly dirty. This does not preclude the necessity to replace any of these items that cannot be brought back into a state as to be easy to clean.

10: clean rolling tray rack located in the walk in cooler

32: replace any broken lid or container

PANERA BREAD - KILLEEN			1723 E. CTE 76541		
-------------------------------	--	--	-------------------	--	--

8/1/2023	Permit	1	9:40 AM	<input type="checkbox"/>	8/1/2023
-----------------	---------------	---	---------	--------------------------	----------

SCORE: 99

42: Minor cleaning required for wall and surfaces around trash cans (as/where needed)

clean tray racks in various locations in facility, especially the tray cart racks

Non-Food Contact surfaces clean - 1

PITA DE JOUR			904 N GRAY 76541		
---------------------	--	--	------------------	--	--

8/17/2023	Permit	100	3:10 PM	<input type="checkbox"/>	8/18/2023
------------------	---------------	-----	---------	--------------------------	-----------

PIZZA HUT - E RANCIER			2503 E RANCIER 76543		
------------------------------	--	--	----------------------	--	--

8/9/2023	Permit	99	1:15 PM	<input type="checkbox"/>	8/10/2023
-----------------	---------------	----	---------	--------------------------	-----------

42: reach in cooler door and handles have food build up on them and require cleaning.

Non-Food Contact surfaces clean - 1

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
KILLEEN					
QUICK STUFF					
5301 W. SS LOOP STE 100 76542					
8/14/2023	Permit	96	10:50 AM	<input type="checkbox"/>	8/15/2023
43: walk in beer cooler has two burned out light bulbs, require replacement			11:20 AM		
31: the hand sink is currently being used for storage and does not have soap or paper towels. Must be accessible and fully stocked with supplies.					
45: the floo is sticky and dirty under soda pump station and requires cleaning.					
Physical facilities installed, maintained, clean - 1					
Adequate ventilation and lighting; designated areas used - 1					
Adequate handwashing facilities; Accessible and properly supplied, used - 2					
RAISING CANES - KILLEEN					
1035 S FORT HOOD RD 76541					
8/8/2023	Permit	100	9:30 AM	<input type="checkbox"/>	8/8/2023
SCORE 100			9:50 AM		
GENERAL SANITATION VERY GOOD!! -					
ROSAS CAFÉ - KILLEEN					
1110 EAST CTE 76542					
8/23/2023	Permit	99	2:55 PM	<input type="checkbox"/>	8/25/2023
from previous inspection:			3:30 PM		
#27: PREP COOLER FOR DRIVE-THRU NOT WORKING PROPERLY. MUST NOT BE USED UNTIL IT CAN MAINTAIN 41 DEGREES F OR LESS. CORRECTED					
from this inspection:					
42: wall and floor have splatter (food) by drive through and they require cleaning.					
Non-Food Contact surfaces clean - 1					
ROYAL CARIBBEAN RESTAURANT					
4110 S CLEAR CREEK STE 114 76549					
8/24/2023	Permit	99	2:20 PM	<input type="checkbox"/>	8/25/2023
42: grease accumulation on deep fryer, table, and back wall panel, and floor. Clean as required			2:50 PM		
Non-Food Contact surfaces clean - 1					
SEOUL TO GO					
2901 W ELMS STE 100 76549					
8/28/2023	Permit	99	1:25 PM	<input type="checkbox"/>	8/31/2023
42: General cleaning required for lowboy cooler. Accumulation of food splatter on inside walls			1:50 PM		
Non-Food Contact surfaces clean - 1					
SPECS #75- KILLEEN					
2500 EAST CTE STE C 76543					
8/17/2023	Permit	99	11:00 AM	<input type="checkbox"/>	8/18/2023
42: mud room and adjacent hand wash station require cleaning. Hand sink has scale buildup/mud room floor is sticky.			11:40 AM		
Non-Food Contact surfaces clean - 1					
ST. JOSEPH CATHOLIC CHURCH CATERING KITCH					
2903 EAST RANCIER 76543					
8/16/2023	Permit	100	2:30 PM	<input type="checkbox"/>	8/18/2023
			2:45 PM		

Establishment	Type	Score	In / Out	Follow up Req'd.	Date Insp. Closed
---------------	------	-------	----------	------------------	-------------------

KILLEEN

ST. JOSEPH CATHOLIC CHURCH CATERING KITCH			2903 EAST RANCIER 76543		
8/16/2023	Permit	100	2:30 PM 2:45 PM	<input type="checkbox"/>	8/18/2023

STAR MART #13			5504 BUNNY TRAIL STE A10 76549		
8/21/2023	Permit	97	9:25 AM 10:00 AM	<input type="checkbox"/>	8/22/2023

from inspection of 8/1/22:

22 food handler certifications are not present. The individuals present on staff are different from this inspection and are required to get food handler certifications.

Repeat

from this inspection:

42: beer cooler has a sticky area on the floor from product spill and requires cleaning

the counter under the ice machine is covered with a dark liquid substance that requires cleaning

there are loose canned beverages on the floor of the walk in beer cooler and the back storage area. These items need to be stored on the shelves

Non-Food Contact surfaces clean - 1

Food handler / no unauthorized persons / personnel - 2

STARBUCKS- 3120 W. SS LOOP			3120 W. SS LOOP 76549		
8/10/2023	Permit	100	4:00 PM 4:15 PM	<input type="checkbox"/>	8/15/2023

STONETREE COURTYARD GRILL			1600 STONETREE DRIVE 76543		
8/21/2023	Permit	98	10:30 AM 11:00 AM	<input type="checkbox"/>	8/22/2023

39: Ice scoops are not stored properly

42: general cleaning required for deep fryers, grill, and lowboy cooler

Non-Food Contact surfaces clean - 1

Utensils, equipment, and linens; properly used, stored, dried and handled - 1

SUBWAY #13875- S WS YOUNG			1805 S WS YOUNG 76543		
8/21/2023	Permit	99	3:35 PM 4:00 PM	<input type="checkbox"/>	8/22/2023

42: clean the reach in cooler doors and the cabinet doors underneath the hand wash station behind serving line

Non-Food Contact surfaces clean - 1

SUNDOWN BAR & RESTAURANT			105 E HALLMARK 76541		
8/28/2023	Permit	97		<input type="checkbox"/>	8/31/2023

32: handwash sink legs are not cleanable. Paint these legs/seal legs to render them smooth and non-absorbent

42: walk in cooler door requires general cleaning on interior (food/residue build up

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

Non-Food Contact surfaces clean - 1

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

TACO BELL - CLEAR CREEK

4400 S CLEAR CREEK 76549

8/15/2023

Complaint Followup

100

2:30 PM



8/18/2023

3:00 PM

Caller makes the following allegation:

The soda fountain machine put slimy, moldy disgusting stuff in his cup. When he mentioned it to the employee at the counter, she was unfazed by it, not at all concerned.

INVESTIGATION:

the soda machine was clean at the time. The machine has 16 dispensing nozzles. 12 of the 16 worked without any noticeable conditions as alleged. The other 4 did not work. Manager stated that recently these nozzles were malfunctioning and were improperly mixing syrup with carbonated water and was causing issues. These have been taken off-line and a work order has been placed to repair. It was recommended that management place and "out of order" sign on the affected nozzles to eliminate potential issues.

no follow-up necessary.

TAQUERIA MEXICO

1103 EAST RANCIER 76541

8/1/2023

Permit

1

9:00 AM



8/1/2023

SCORE: 99

9:25 AM

45: repair eroded cement collars around floor drains as necessary (where they are damaged). Recommend epoxy based cement patch

Physical facilities installed, maintained, clean - 1

TAQUERIA MEXICO #4

3007 WEST SS LOOP 76549

8/17/2023

New Ownership Permit

99

9:05 AM



8/17/2023

10:05 AM

39: observed bowl being used as a scoop for sugar in bulk container. This is not an appropriate use for this type of item for this particular process. Must be a scoop or other means that has a handle that will eliminated potential contamination from the surfaces that are touched by hands. (pitcher with handle will also work).
COS

Note: general sanitation is very good and shows a significant improvement from previous inspection. New ownership has really succeeded in meeting TFER requirements and expectations.

Utensils, equipment, and linens; properly used, stored, dried and handled - 1

TEXAS ROADHOUSE - KILLEEN

3709 EAST CENTRAL TEXAS EXP 76543

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

TEXAS ROADHOUSE - KILLEEN

3709 EAST CENTRAL TEXAS EXP 76543

8/3/2023

Complaint Followup

0

10:20 AM



8/3/2023

ALLEGATIONS OF COMPLAINT RECEIVED 8/2/23:

10:50 AM

Caller makes the following allegations:

1. Roaches and mold concerns in the dishwash room.
2. Employee is putting personal beer inside the ice machine. The employee reaches in through out the day and pulls out his beer. He pours beer into a glass with ice and drinks it while on the clock.
3. Servers have to reach in and work around the beer cans to fill customer's glasses.
4. Caller has concerns about food handling practices.
5. Several employees have bad hygein practices.
6. Dishwasher does not heat water to sanitation temperature.
7. Cloth towels are used to wipe off excess food and water off of plates as they are pulled from the dish washer.
8. Same cloth is used for three to four hours at a time.
9. Clean clothes are kept in a locked closet because they do not want to pay to have the towels cleaned.
- 10.

INVESTIGATION

1.

34/42/45: Did observe conditions as described, but primarily in hard to reach/out of the way surfaces and areas. Did observe one live roach and gnats. Roach was located in the space between support bar and frame of the drying rack to the right of the dishwasher. There were no other roaches present during this inspection. Damaged floor tile in dishwash room must be repaired.

2.

cannot confirm this matter, no such conditions observed at this time. Discussed with manager the prohibitions of this type of condition (ice used as a medium to cool foods where the ice will potentially be consumed with the product it cools or could contaminate packages of items, cannot be used to cool bottles/cans, etc.)

3.

cannot verify any practices contrary to minimal required for food safety and sanitation. All availble staff are properly conducting and executing procedures in a manner required by law.

4.

unknown as to the actual status of "poor hygiene". It is not known if the complainant is referring to actual "personal" issues such as body odor, habits, overall cleanliness, or to items related to hygeine and food safety (hand washine, hair restraints, etc.). In either condition, did not observe improprieties.

5.

dishmachine showed a temperature of final rinse at 178 F (4/2023). The static temperature of the booster heater (machine had not been set up) showed to be 150 F. The booster heater is 2 months old. The general operational status of this type of heater is that it will easily obtain an output temperature of 30-40 F higher than the static temperature. The manager stated that he would verify the final rinse temperature when they begin to use. If not proper, he will manually sanitize and get a work order in for repair.

6.

cannot confirm this. Did observe two such towels that would not be approved for the purpose which has has been alleged, but did not know what there specific use for these two towels were, but did discuss that no towel can be used to dry dishes that have gone through the wash/rinse/sanitize process.

manager states that there are towels available in bins at front that are used to wipe down surfaces and are not under lock/key.

NOTE: Except for the area identified (dishwash room) the overall sanitation is very good.

KILLEEN

TEXAS ROADHOUSE - KILLEEN

3709 EAST CENTRAL TEXAS EXP 76543

-

THE BLOOM COFFEE

4103 W. SS LOOP #100 76549

8/14/2023

Permit

100

10:35 AM

8/15/2023

10:50 AM

-

TILTED KILT

2900 EAST CTE 76543

8/22/2023

Permit

97

8:45 AM

8/22/2023

9:15 AM

34/42: gnat presence (moderate) at bar. General sanitation is good. Hang pest strips and consult with pest control for additional control measures. Clean floor drains as needed

42: clean splatter on walls as and where needed

42/45: replace floor in walk in cooler. Currently it is an aluminum floor that is corroded and showing holes/gaps allowing water to get underneath causing subfloor structure damage (warping/bulging). The current state makes it very difficult to clean and it shows buildup in the affected areas.

Physical facilities installed, maintained, clean - 1

No Evidence of Insect contamination, rodent / other animals - 1

Non-Food Contact surfaces clean - 1

URBAN AIR

2102 JENNIFER DR 76542

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

URBAN AIR

2102 JENNIFER DR 76542

8/17/2023

Permit

75

3:45 PM



Permit application with held pending follow-up 8/21/23.

5:50 PM

8/21/2023

pizza prep station closed down due to conditons specific to that area only.

2/27: pizza prep cooler had an observed ambient air temperature of 62 F, and was causing TCS foods in unit to be elevated above the maximum safe hold temperature: mozzarella cheese: 47 F, marinara sauce: 49 F (not TCS, but reflects affect on temperature in this unit.

7: the food in this unit is considered questionable as to safety in part because of the temperature, but also because of the unknown time frame these foods had been in unit COS: foods discarded

9: pizza dough and french fries are not properly stored: pizza dough, in original package, was open and exposed to frozen block underneath freezer fan unit. French fries are in original package, but are open and surrounded by food debris and dirty particles.

21/22: management on duty did not have access to food handler certifications/food manager certifications. These are required to available to verify. Will check on follow-up

29: pizza prep lowboy thermometer read 39 F which is well beyond the +/- 3 F required for accuracy of this type of thermometer

31: two hand wash sinks present in the facility. One behind concession counter does not have hand soap or paper towels and is currently being used as disposal point for condasate/waste drain for pepsi machine. The other is located in the kitchen but is blocked by a box rendering the sink not readily accessible for use. The automated dispenser for the towels is not functional, likely dead batteries and must be repaired.

33/36/39: ware washing three compartment sink had dishes/dirt and food particles and old dirty dried up wiping cloths in the basin

39: a large mixing bowl was stored in the clean dish rack but was dirty showing improper washing/rinsing and sanitizing and air drying,as well as, improper storage of such an item. The food particles were a result of the bowl not stored to properly drain for air drying.

42/45: multiple non-food contact surfaces/areas and general facility areas that are not clean and show neglect. Pizza prep cooler doors and door gaskets require cleaning, pizza oven has moderate buildup/gease, the reach in freezer has food particles/debris collecting on the bottom, and ice is forming on the inside top of the reach-in freezer directly above the pizza dough. Attention is needed to correct these items.

Non-Food Contact surfaces clean - 1

Utensils, equipment, and linens; properly used, stored, dried and handled - 1

Wiping Cloths; properly used and stored - 1

Warewashing Facilities; installed, maintained, used - 2

Adequate handwashing facillities; Accessible and properly supplied, used - 2

Thermometers provided, accurated, and calculated; chemical/thermal test - 2

Proper Cold Holding temperature (41F/45F) - 3

Proper cooling method used; Equipment adequate to maintain proper temp - 2

Physical facillities installed, maintained, clean - 1

Food handler / no unathorized persons / personnel - 2

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

URBAN AIR

2102 JENNIFER DR 76542

8/17/2023 Permit

75

3:45 PM



Permit application with held pending follow-up 8/21/23.

5:50 PM

8/21/2023

pizza prep station closed down due to conditons specific to that area only.

2/27: pizza prep cooler had an observed ambient air temperature of 62 F, and was causing TCS foods in unit to be elevated above the maximum safe hold temperature: mozzarella cheese: 47 F, marinara sauce: 49 F (not TCS, but reflects affect on temperature in this unit.

7: the food in this unit is considered questionable as to safety in part because of the temperature, but also because of the unknown time frame these foods had been in unit COS: foods discarded

9: pizza dough and french fries are not properly stored: pizza dough, in original package, was open and exposed to frozen block underneath freezer fan unit. French fries are in original package, but are open and surrounded by food debris and dirty particles.

21/22: management on duty did not have access to food handler certifications/food manager certifications. These are required to available to verify. Will check on follow-up

29: pizza prep lowboy thermometer read 39 F which is well beyond the +/- 3 F required for accuracy of this type of thermometer

31: two hand wash sinks present in the facility. One behind concession counter does not have hand soap or paper towels and is currently being used as disposal point for condasate/waste drain for pepsi machine. The other is located in the kitchen but is blocked by a box rendering the sink not readily accessible for use. The automated dispenser for the towels is not functional, likely dead batteries and must be repaired.

33/36/39: ware washing three compartment sink had dishes/dirt and food particles and old dirty dried up wiping cloths in the basin

39: a large mixing bowl was stored in the clean dish rack but was dirty showing improper washing/rinsing and sanitizing and air drying,as well as, improper storage of such an item. The food particles were a result of the bowl not stored to properly drain for air drying.

42/45: multiple non-food contact surfaces/areas and general facility areas that are not clean and show neglect. Pizza prep cooler doors and door gaskets require cleaning, pizza oven has moderate buildup/gease, the reach in freezer has food particles/debris collecting on the bottom, and ice is forming on the inside top of the reach-in freezer directly above the pizza dough. Attention is needed to correct these items.

- Person in charge present, demonstration of knowledge, and CFM - 2
- Food separated and & protected, prevented during food preparation - 3
- Food and ice obtained from approved source; good condition, safe - 3

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

URBAN AIR

2102 JENNIFER DR 76542

8/21/2023

Violations Followup

100

3:00 PM

8/22/2023

all items corrected, permit application is issued

3:30 PM

Permit application with held pending follow-up 8/21/23.

pizza prep station closed down due to condntions specific to that area only.

2/27: pizza prep cooler had an observed ambient air temperature of 62 F, and was causing TCS foods in unit to be elevated above the maximum safe hold temperature: mozzarella cheese: 47 F, marinara sauce: 49 F (not TCS, but reflects affect on temperature in this unit.

7: the food in this unit is considered questionable as to safety in part because of the temperature, but also because of the unknown time frame these foods had been in unit COS: foods discarded

9: pizza dough and french fries are not properly stored: pizza dough, in original package, was open and exposed to frozen block underneath freezer fan unit. French fries are in original package, but are open and surrounded by food debris and dirty particles.

21/22: management on duty did not have access to food handler certifications/food manager certifications. These are required to available to verify. Will check on follow-up

29: pizza prep lowboy thermometer read 39 F which is well beyond the +/- 3 F required for accuracy of this type of thermometer

31: two hand wash sinks present in the facility. One behind concession counter does not have hand soap or paper towels and is currently being used as disposal point for condensate/waste drain for pepsi machine. The other is located in the kitchen but is blocked by a box rendering the sink not readily accessible for use. The automated dispenser for the towels is not functional, likely dead batteries and must be repaired.

33/36/39: ware washing three compartment sink had dishes/dirt and food particles and old dirty dried up wiping cloths in the basin

39: a large mixing bowl was stored in the clean dish rack but was dirty showing improper washing/rinsing and sanitizing and air drying,as well as, improper storage of such an item. The food particles were a result of the bowl not stored to properly drain for air drying.

42/45: multiple non-food contact surfaces/areas and general facility areas that are not clean and show neglect. Pizza prep cooler doors and door gaskets require cleaning, pizza oven has moderate buildup/gease, the reach in freezer has food particles/debris collecting on the bottom, and ice is forming on the inside top of the reach-in freezer directly above the pizza dough. Attention is needed to correct these items.

-

WENDYS - CTE

2008 E CTE 76543

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

WENDYS - CTE			2008 E CTE 76543		
8/4/2023	Complaint Followup	100	9:40 AM 10:20 AM	<input type="checkbox"/>	8/7/2023

Caller makes the following allegations:

1. Hamburger pattie was pink in the middle.
2. Food on the floor in the lobby.
3. Lobby was dirty.

INVESTIGATION:

Lobby itself was clean, but the floor drain assoicaited with drink area requires cleaning (COS)

Soda machine in lobby was dirty with food debris (COS).

hamburger patty was cooked to specifications (Wendy's) and it temped at 189 F when complete.

No further action is necessary.

-

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

LITTLE RIVER ACADEMY

ACADEMY INTERMEDIATE SCHOOL 8P 2R			107 S PONDALILLY 76554		
8/9/2023	Permit	100	8:25 AM 8:45 AM	<input type="checkbox"/>	8/9/2023

EL SARAPE MEXICAN RESTAURANT			104 SOUTH HWY 95 76554		
8/23/2023	Complaint Followup	100	11:50 AM 12:30 PM	<input type="checkbox"/>	8/24/2023

Caller makes the following allegations:
 1.Sewer water is leaking and soaking into the apartment property that is 10 to 15 feet away from property line.
 2. The sewer water is impeding entrance to the stairs leading to the apartments upstairs.
 3.Odiferous odor.

INVESTIGATION:

Owner was contacted byphone on day complaint filed.

owner stated:

recent grease trap service was done

a plumber was slated to come and clean up "mess" and conduct any additional service that might address any other issues unknown at this time.

on-site visit showed:

no foul odors present at the time

no standing or pooling water observed

some clean up needed (see plumber visit above) from recent clearing of drain line at access point

no issues noted inside restaurant associated with the concerns levied against the facility

owner did state that someone is removing sewer cleanout cap, but he does not know who (may explain odor at times)

based on the evidence at the time of the investigation, this issue appears to have been resolved prior to BCPHD arrival and will be closed/complete with no follow-up required.

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

ROGERS

ROGERS ELEMENTARY SCHOOL 8P 2R			802 ROGERS CEMETERY RD 76569		
8/18/2023	Permit	100	10:15 AM 10:50 AM	<input type="checkbox"/>	8/21/2023

ROGERS HIGH SCHOOL 8P 2R			210 ALVIN ALLEY RD 76569		
8/18/2023	Permit	100	9:35 AM 10:10 AM	<input type="checkbox"/>	8/21/2023

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

SALADO

CHUPACABRA Craft Beer and Kitchen			401 S MAIN 76571		
8/24/2023	Permit	98	1:40 PM	<input type="checkbox"/>	8/25/2023
32: food shelving under bar is bare exposed wood. It requires sealing (paint/clear coat) to render the surfaces non-absorbent/cleanable.			2:20 PM		
Food and Non-food Contact surfaces cleanable, properly designed, and used - 2					

DOLLAR GENERAL #22299			10818 FM 1670 76571		
8/10/2023	Complaint Followup	93	1:40 PM	<input type="checkbox"/>	8/11/2023
Customer makes the following allegations:			2:45 PM		
1. The temperature is too hot for customers and employees.					
2. No A/C since May.					

INVESTIGATION:

complaint is valid to the extent that the A/C unit is not working, however, this is not a condition that is regulated by the Health District unless the elevated temperatures in the facility have an adverse affect on food safety processes and equipment that would directly result in subsequent violations of the food code. At this time, the ambient air temperature in the facility is:

front: 89 F
middle: 84 F
back: 82

the following violations are noted:

2/27: evidence that the chicken caesar salad was exceeding maximum cold hold temperature. This item was discarded. Ambient air temperature of open air/reach in style cooler was 66 F.

2/27: there were also other foods that were in this same unit, some labeled "must be refrigerated" and some non-tcs foods that registered temperatures at and around 64 F. Based on this and the previous temperature indicators, it is apparent that the elevated air temperatures of the unit are directly affecting the unit's ability to operate in a manner that can safely hold foods at their required temperatures. This unit is to be immediately taken out of service and until the issue can be resolved and the unit can properly function, it cannot be use to store any tcs foods.

the freezer units and the doored reach in coolers are working within the required specifications for proper cold hold and may be continued to be used as normal.

2: all tcs foods/foods showing spoilage or conditions related to the elevated temperature associated with the open air cooler have been properly disposed.

30: food dealer permit is delinquent (expired 1/31/2023) and despite a permit inspection on 1/17/2023 at which time the application was left at the facility to process and e-mail communication with DG corporate, the permit has not been renewed. This documentation serves to notify all responsible parties that the facility's permit must be renewed within 10 days from the date of this inspection which will include the base permit fee and all associated late fees or all necessary actions will be taken to ensure compliance up to and including revoking ability to sell food, legal action or administrative action/fines.

Proper cooling method used; Equipment adequate to maintain proper temp - 2

Proper Cold Holding temperature (41F/45F) - 3

Food Establishment Permit (Current, Valid, and Posted) - 2

GREENFIELD COFFEE & TEA HOUSE			555 PACE PARK RD 76571		
8/2/2023	Permit	0	3:10 PM	<input type="checkbox"/>	8/3/2023
SCORE: 100			3:35 PM		

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
SALADO					
GREENFIELD COFFEE & TEA HOUSE					
555 PACE PARK RD 76571					
8/2/2023	Permit	0	3:10 PM	<input type="checkbox"/>	8/3/2023
SCORE: 100			3:35 PM		
-					
JD'S TRAVEL CENTER					
15881 SOUTH IH 35 76571					
8/2/2023	Permit	1	8:30 AM	<input type="checkbox"/>	8/2/2023
score 99			8:50 AM		
42: clean inside of ice cream freezer of debris/dust Non-Food Contact surfaces clean - 1					
LIVELY COFFEE HOUSE & BISTRO					
21 NORTH MAIN STE B 76571					
8/2/2023	Permit	1	9:00 AM	<input type="checkbox"/>	8/2/2023
SCORE 99			9:30 AM		
42: minor cleaning required for the floor/platform under rack beside 3-compartment sink minor cleaning for the door racks and exterior surfaces of french door cooler in kitchen Non-Food Contact surfaces clean - 1					
LUCY'S ICE HOUSE					
805 NORTH MAIN 76571					
8/24/2023	Permit	100	3:55 PM	<input type="checkbox"/>	8/25/2023
			4:10 PM		
-					
SALADO GENERAL STORE					
#1 ROYAL STREET 76571					
8/24/2023	Permit	100	2:40 PM	<input type="checkbox"/>	8/25/2023
			2:50 PM		
-					
SALADO HIGH SCHOOL 8P 2R					
1880 WILLIAMS RD 76571					
8/17/2023	Permit	100	11:40 AM	<input type="checkbox"/>	8/18/2023
			12:20 PM		
-					
SALADO MIDDLE SCHOOL 8P 2R					
1169 WILLIAMS ROAD 76571					
8/17/2023	Permit	100	10:50 AM	<input type="checkbox"/>	8/18/2023
			11:25 AM		
-					
SALADO OLIVE OIL CO					
602 OLD TOWN RD STE 5 76571					
8/2/2023	Permit	0	2:45 PM	<input type="checkbox"/>	8/3/2023
SCORE 100			3:00 PM		
-					
SERENDIPITY					
600 N MAIN, SUITE C 76571					
8/24/2023	Permit	100	3:15 PM	<input type="checkbox"/>	8/25/2023
			3:40 PM		

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

SALADO

SERENDIPITY			600 N MAIN, SUITE C 76571		
8/24/2023	Permit	100	3:15 PM 3:40 PM	<input type="checkbox"/>	8/25/2023

SONIC - SALADO

8/25/2023	Permit	96	11:50 AM 12:50 PM	<input checked="" type="checkbox"/>	9/1/2023
-----------	--------	----	----------------------	-------------------------------------	----------

from previous inspections both items repeat.

permit application is withheld pending follow-up on 9/1/2023

32: cardboard used as shelf liner visibly dirty. Cannot use this material for this purpose: not easily cleanable, not non-absorbent

#42 (REPEAT FROM 9/1/20): REPLACE TORN GASKET ON RI COOLER BY FRYER. Repeat

from this inspection:

42: doors/walls for both walk-in cooler and walk-in freezer are dirty with dirt/oil and buildup and require cleaning

floors in both walk-in cooler and walk-in freezer are dirty, especially underneath racks and require cleaning

floors in dry storage area are dirty especially under racks and require cleaning

45: water filtration system is leaking and dripping water n the floor from the middle filter assembly. Repair/replace as needed to correct this issue.

32: wire racks in the walk-in cooler are rusted to the point of either requiring replacement or deep cleaning to remove rust to render these items cleanable as required.

Non-Food Contact surfaces clean - 1

Physical facilities installed, maintained, clean - 1

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

THE STRAWBERRY PATCH			209 NORTH MAIN 76571		
8/24/2023	Permit	100	12:55 PM 1:10 PM	<input type="checkbox"/>	8/25/2023

THOMAS ARNOLD ELEMENTARY 8P 2R			560 THOMAS ARNOLD RD 76571		
8/17/2023	Permit	100	10:00 AM 10:35 AM	<input type="checkbox"/>	8/18/2023

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TEMPLE

7- ELEVEN #38995A

3805 S. GENERAL BRUCE 76502

8/30/2023 Permit

95 3:30 PM 8/31/2023

2: reach in refrigerator behind cashier counter reading 48 F. Unit taken out of commission until repaired/foods in jeopardy were discarded

4:15 PM

32: ice chute on soda fountain machine needs cleaning of mold build-up

Proper Cold Holding temperature (41F/45F) - 3

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

A & J MINI MART #1

4105 S GENERAL BRUCE 76502

8/2/2023 Permit

3 9:10 AM 8/2/2023

SCORE: 97

9:55 AM

42: CLEAN BUILDUP OF DUST ON OVERHEAD IN WALK IN COOLER

32: WOOD STAND FOR POPCORN MACHINE IS BARE EXPOSED WOOD. PAINT/SEAL TO RENDER EASILY CLEANABLE/NON-ABSORBENT

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

Non-Food Contact surfaces clean - 1

ARBYS - W ADAMS

6490 W ADAMS 76502

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TEMPLE

ARBYS - W ADAMS			6490 W ADAMS 76502		
------------------------	--	--	--------------------	--	--

8/9/2023	Complaint Followup	96	2:45 PM 3:20 PM	<input type="checkbox"/>	8/10/2023
-----------------	---------------------------	----	--------------------	--------------------------	-----------

complaint investigated and the investigation concluded that there were some valid points, but not to the extreme that was portrayed.

complaint received 8/9/2023 via TDSHS:

complaint alleges (photos) that the dining room is dirty:

visited 8/7/2023 5pm and saw the following:

floor dirty (photo), windows dirty (photo).

tables were filthy

condiment area was nasty (ants/bugs in this area)

concerned about condition of kitchen

Pest control measures are in place, last treatment was 6/28/23. no insects observed at this time.

the window in question did have spray residue on it, but this likely came from staff using the wrong solution on the window, now food splatter/debris. It will be addressed.

floors were free of debris. The "buildup" on floor in lobby/entryway is not consistent with a public health nuisance or lack of required sanitaiton, but an aesthetic issue that should be cleaned for that purpose alone, but no sanitation violation is merited at this time.

a recommendation was made to increase frequency of cleaning of condiment area and containers/dispensers as they had some build up, but not enough to indicate the lack of cleaning on a periodic basis, but the facility needs to increase this frequency.

From previous inspection of 7/17/23:

#10: MOLD/MILDEW BUILDUP ON SODA SPIGOT & ICE CHUTE-CLEAN. repeat

**42: general cleaning around fryers and hot hold areas
hood above fryers clean as needed**

repeat

Non-Food Contact surfaces clean - 1

Food contact surfaces and returnables; cleaned and sanitized - 3

BEST QUALITY MEATS			2418 S GENERAL BRUCE 76504		
---------------------------	--	--	----------------------------	--	--

8/14/2023	Permit	100	9:00 AM 9:20 AM	<input type="checkbox"/>	8/14/2023
------------------	---------------	-----	--------------------	--------------------------	-----------

from 8/16/22:

#42: MOLD ABOVE CH DISPLAY UNDER SCALE-CLEAN BUILDUP. corrected

-

BIRD CREEK BREWING			8 SOUTH MAIN 76501		
---------------------------	--	--	--------------------	--	--

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TEMPLE

BIRD CREEK BREWING			8 SOUTH MAIN 76501		
---------------------------	--	--	--------------------	--	--

8/28/2023	Permit	100	9:00 AM 9:30 AM	<input type="checkbox"/>	8/28/2023
------------------	---------------	-----	--------------------	--------------------------	-----------

NOTE:

due to rpz valve required on 3 compartment sink, they are opting to install the auto-chlor auto dispensing unit for 3 compartment sink on the water source for the mop sink. This sink has a built in vacuum breaker and will suffice for proper backflow/back-siphon requirements otherwise provided by an rpz valve. This is approved by city and will not be an issue with TFER. They will have the hoses used to dispense the chemicals run along the wall in the same manner as would be if mounted above sink, just longer to reach.

BJ'S RESTARUANT & BREWHOUSE			3550 SOUTH GENERAL BRUCE 76504		
--	--	--	--------------------------------	--	--

8/28/2023	Permit	97	2:50 PM 3:50 PM	<input type="checkbox"/>	8/29/2023
------------------	---------------	----	--------------------	--------------------------	-----------

from inspection 9/28/22: all corrected except as noted

31: No hand soap available for handsink in back preparation area, no paper towels at handsink of the side prep area
42: clean dirty air vent for cookie reach in cooler

clean the metal rack of excess food partclies in the pizza reach in cooler

replace walk in cooler and walk in beer cooler moldy foam pipe insulator REPEAT

clean under the plastic rack in the walk in cooler

note: manager states new racks are on order

45: repair leaking 3 compartment sink faucet and 2 compartment sink

light shield is required to be reinstalled in walk in cooler

FROM 8/28/23:

32: Cart in walk in refrigerator is damaged to the point of no longer being cleanable. Replacement required.

42: ice machine requires cleaning debgris on top and mold inside

32: meat slicer is dirty (hard to reach areas) due to lack of proper breakdown for cleaning. Cleaning required

Non-Food Contact surfaces clean - 1

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

CANYON CREEK BEHAVIORIAL HEALTH			1201 CANYON CREEK DR TX		
--	--	--	-------------------------	--	--

8/28/2023	Permit	100	12:25 PM 12:50 PM	<input type="checkbox"/>	8/28/2023
------------------	---------------	-----	----------------------	--------------------------	-----------

CEFCO #24			605 NORTH 3RD 76501		
------------------	--	--	---------------------	--	--

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TEMPLE

CEFCO #24			605 NORTH 3RD 76501		
------------------	--	--	---------------------	--	--

8/30/2023	Permit	97	10:50 AM 11:20 AM	<input type="checkbox"/>	8/30/2023
------------------	---------------	----	----------------------	--------------------------	-----------

from previous inspeciton:

#42: clean the ceiling of spider webs (3 compartment sink area) repeat

#45: repair the broken door cabinet (coffee section) that is not properly closing.
Corrected

from today

31: hand sink next to three compartment sink is covered in items that render the sink not readily accessible for use

Non-Food Contact surfaces clean - 1

Adequate handwashing facilities; Accessible and properly supplied, used - 2

CEFCO #43			22514 SE HK DOGEN LOOP 76503		
------------------	--	--	------------------------------	--	--

8/30/2023	Permit	95	10:00 AM 10:40 AM	<input type="checkbox"/>	8/30/2023
------------------	---------------	----	----------------------	--------------------------	-----------

all corrected from previous inspection

10: clean the build up on the ice chute at soda machine
42: clean under the metal rack (trash)
45: repair the broken air vent in reach in freezer (kitchen)

from today

32/10: ice chutes and side of soda fountain require cleaning.

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

Food contact surfaces and returnables; cleaned and sanitized - 3

CHEF FLACO'S GOURMET FOODS			1217 S. 1ST SUITE A 76504		
-----------------------------------	--	--	---------------------------	--	--

8/3/2023	Permit	0	2:10 PM 2:55 PM	<input type="checkbox"/>	8/4/2023
-----------------	---------------	---	--------------------	--------------------------	----------

-

CHICK FIL A - NEW			3303 SOUTH 31ST 76502		
--------------------------	--	--	-----------------------	--	--

8/3/2023	Permit	1	8:50 AM 9:10 AM	<input type="checkbox"/>	8/3/2023
-----------------	---------------	---	--------------------	--------------------------	----------

SCORE: 99

from previous inspection

42. Clean the dirty fan guards in WI Cooler **REPEAT**
42. Clean inside the salad (cooler) due to excess food particles **CORRECTED**

Non-Food Contact surfaces clean - 1

DICKSON EARLY CHILDHOOD CENTER			1100 SOUTH 33RD 76504		
---------------------------------------	--	--	-----------------------	--	--

8/8/2023	Permit	100	1:45 PM 2:10 PM	<input type="checkbox"/>	8/8/2023
-----------------	---------------	-----	--------------------	--------------------------	----------

-

FAMILY FOODS MART			2512 SOUTH 5TH 76504		
--------------------------	--	--	----------------------	--	--

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TEMPLE

FAMILY FOODS MART			2512 SOUTH 5TH 76504		
8/16/2023	Violations Followup	100	12:00 PM	<input type="checkbox"/>	8/17/2023
permit application is issued as all items listed have been corrected:			12:20 PM		

Permit with held till F/U on 8/16/23

- 8/01/22
- 22. No Food Handler Cards/cert. for employees-RPT
- 32. Paint/seal wood used in WI Cooler- curenly raw wood exposed that is not able to be cleaned properly-RPT
- 45. General cleaning of WI Cooler (under racks)- buildup and trash present- RPT
- 46. No soap or paper towels present in bathrooms- replace as needed
- 46. bathroom handsink requires cleaning - dirty- clean as required
- 9. Milk stored on florr in WI Cooler- required to be up off the ground atleast 6" unless in appropriate containers
- 42. Lid on ice machine- dirty- clean as needed

GREEN'S SAUSAGE HOUSE			16483 STATE HWY 53 76501		
8/2/2023	Permit	0	10:50 AM	<input type="checkbox"/>	8/2/2023
SCORE 100			11:10 AM		

HIGH POINT ELEMENTARY 9P 4R			1635 STARLIGHT DR 76502		
8/31/2023	Permit	100	9:45 AM	<input type="checkbox"/>	8/31/2023
			10:00 AM		

HONEYCUTTS GROCERY & STATION			7303 AIRPORT RD 76502		
8/3/2023	Permit	0	3:00 PM	<input type="checkbox"/>	8/3/2023
note: clean inside (bottom) of beer box cooler.			3:10 PM		

clean (minor) floor under the racks in walk in cooler

JIMMY JOHNS WEST ADAMS			1514 WEST ADAMS 76504		
8/11/2023	Permit	100	9:00 AM	<input type="checkbox"/>	8/14/2023
NOTE: ALL ITEMS ARE PENDING CORRECTION. AS THE FACILITY IS CURRENTLY NOT OPEN TO PUBLIC, NO VIOLATION WILL BE ASSIGNED. THE FOLLOWING ITEMS REMAIN TO BE ADDRESSED:			10:00 AM		

- show proof of food handler certifications (pending with new hires)
- dumpster has not been placed but is scheduled this coming week with waste management.
- chemical dispensers for sinks and other uses are pending installation and calibration/set up for use.
- punch list for "finish out" construction is on-going and a good general cleanup is scheduled once that is complete.

LAKE BELTON HIGH SCHOOL 9P 4R			9809 FM 2483 76502		
--------------------------------------	--	--	--------------------	--	--

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TEMPLE

LAKE BELTON HIGH SCHOOL 9P 4R			9809 FM 2483 76502		
8/30/2023	Permit	100	8:30 AM 8:40 AM	<input type="checkbox"/>	8/30/2023

LITTLE CAESARS - S 31ST			3620 SOUTH 31ST 76502		
8/9/2023	Violations Followup	100	1:30 PM 2:00 PM	<input type="checkbox"/>	8/10/2023
All items have been corrected on this follow-up inspection. Permit application is issued.					

PERMIT IS WITHHELD UNTIL THE FOLLOW-UP DATE OF 8/16/23 DUE TO EXCESSIVE LACK OF CLEANING AND OTHER ITEMS OF CRITICAL NATURE.

- 22: food handler cards are required for employees
- 10: can opener blade s dirty and requires cleaning (very dirty)
- 31/46: hand wash sink has not paper towels or soap. No feasible way to properly wash hands at this sink
- 31/46: hand sink in restroom has a towel dispenser that will not work to dispense towels. No feasible way to wash hands properly.
- 39: dirty utensils in rack across from sink that are still dirty. Were not properly washed rinsed and sanitized prior to storage
- 42: greas trap under the sink is dirty, clean overflow and residual from floor and surfaces
- clean/repair metal rack in walk in cooler (dirty/rusty)
- tray racks for dough trays are dirty and require cleaning
- dough mixer is dirty with buildup. Clean as needed.
- Mold observed on gasket.
- 45: clean dust from fan covers and ceiling in walk in cooler

LITTLE EINSTEINS ACADEMY			7445 & 7467 HONEYSUCKLE 76502		
8/8/2023	Permit	100	3:45 PM 4:10 PM	<input type="checkbox"/>	8/10/2023
note: yellow slide has a crack that may pose hazard to children using this equipment. Repair as needed					

LOVE OF CHRIST FOOD & CLOTHING PANTRY			2000 W AIRPORT ROAD 76504		
8/2/2023	Permit	0	10:10 AM 10:35 AM	<input type="checkbox"/>	8/2/2023

NATURAL GROCERS			3621 S GENERAL BRUCE 76504		
------------------------	--	--	----------------------------	--	--

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TEMPLE

NATURAL GROCERS			3621 S GENERAL BRUCE 76504		
8/3/2023	Permit	1	10:40 AM	<input type="checkbox"/>	8/3/2023
SCORE: 99			11:40 AM		

from previous inspection: 8/23/22

45. Repair the broken gasket- bottom area- meat and seafood drawer CORRECTED

42: CLEAN DRAIN VENTS ON VEGGIE COOLER
Non-Food Contact surfaces clean - 1

NEW DAY LEARNING ACADEMY			510 E AVENUE J 76504		
8/30/2023	Permit	100	2:10 PM	<input type="checkbox"/>	8/31/2023
			2:30 PM		

NORTH BELTON MIDDLE SCHOOL 9P 4R			7907 PRAIRIE VIEW DR 76502		
8/31/2023	Permit	100	9:05 AM	<input type="checkbox"/>	8/31/2023
			9:20 AM		

NUEVO LEON MEAT MARKET			620 SOUTH MAIN 76504		
8/30/2023	Permit	97	10:35 AM	<input type="checkbox"/>	8/30/2023
from previous inspeciton: all corrected			11:00 AM		

- 42 replace the moldy ceiling in the bathroom
- 9: open bag of flour with no cover or lid. Provid such protection
- 9: multiple bags of tortillas observed on floor: COS
- 45: repair the wlll peeling off the post (tortilla location), repair wall peeling off in the kitchen, repair the metal covering in the kitchen area upper stove area, replace the missing tile in the tortilla area ALL REPEAT
- 47: clean and repaint the dirty door in the kitchen, replace the very rusty freezer lid cover; replace, clean or sand/repaint the very rusty metal racks inside the walk in cooler. REPEAT, REPLACE OR CLEAN RUSTY FREEZER COVER AND THE RUSTY METAL RACKS HAVE BEEN CORRECTED.
- 32: observed dirty wooden plank inside the walk in cool. Replace or sand and repaint

from previous inspections: 45: ceiling in tortilla room: repair....corrected, 42: clean fangaurds in reach in cooler: corrected, defrost walk in freezer: repeat

34: observed two doors propped open in tortilla room that must remain closed unless using for entrance and exit. Fly strips are full indicating that flies are entering this facility through these doors. Doors must remain closed or put screen doors to prevent insects (flies) from entering. Only a couple of flies active at this time. Several dozen on strips.

32: observed cardboard being used as a shelf liner for one shelf in walk in cooler. This is not approved material for this process (absorbent and not cleanable)

No Evidence of Insect contamination, rodent / other animals - 1

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

OLIVE GARDEN #1771- TEMPLE			3625 SOUTH GENERAL BRUCE 76504		
-----------------------------------	--	--	--------------------------------	--	--

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TEMPLE

OLIVE GARDEN #1771- TEMPLE	3625 SOUTH GENERAL BRUCE 76504				
-----------------------------------	--------------------------------	--	--	--	--

8/7/2023	Permit	99		<input type="checkbox"/>	8/7/2023
-----------------	---------------	----	--	--------------------------	----------

SCORE 99

from previous inspection of 8/13/2022: all corrected

- 42. Clean the food particle crevices of the cooler door
- 42. Clean under the fryer due to excess oil
- 42. Clean the WI Freezer floor due to excess food particles
- 45. Repair the leaking faucet hand sink at bar
- 45. **REPEAT clean vents in ceiling- buildup**

from inspection of 8/7/23:

- 42: minor cleaning for the inside lid and under lid surfaces of salad cooler
- Non-Food Contact surfaces clean - 1

SAM ZAAR	7425 W. ADAMS #180 76502				
-----------------	--------------------------	--	--	--	--

8/16/2023	Violations Followup	99	11:10 AM	<input type="checkbox"/>	8/17/2023
PERMIT APPLICATION IS ISSUED DUE TO CORRECTIONS MADE ON ALL ITEMS. ONE NEW ITEM ADDED			11:35 AM		

- PERMIT NOT ISSUED until corrections made. Will reasses on F/U
- 32. Floor of RI Cooler is dirty old cardboard. The freezer needs to be cleaned including the rack.
- 42. RI Fridge is dirty needs to have floor and racks cleaned to remove dirt/food particles
- 32/42. Side tables on both sides of stove are dirty. Cannot use cardboard as a shelf liner. Clean both tables of grease buildup/ food particles may replace cardboard with durable/ cleanable non pourous liner.
- 10. side boy in kitchen needs to have cutting board replaced. It is no longer cleanable.
- 47. There are pesonal items , several, in the kitchen. Personal items cannot be stored or left in kitchen.

- 42: handles on reach in freezer and refrigerator require cleaning due to buildup.
- Non-Food Contact surfaces clean - 1

SAULSBURY DAY CARE	206 S.24TH 76501				
---------------------------	------------------	--	--	--	--

8/24/2023	Permit	100	10:45 AM	<input type="checkbox"/>	8/25/2023
			11:20 AM		

SHIPLEY DONUTS - NORTH 31ST	115 NORTH 31ST 76504				
------------------------------------	----------------------	--	--	--	--

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TEMPLE

SHIPLEY DONUTS - NORTH 31ST

115 NORTH 31ST 76504

8/15/2023

Complaint Followup

100

1:30 PM

8/16/2023

allegations:

1:55 PM

Caller makes the following allegations:

Employee brings their child to work.

The employee handles the child and then serves the customers.

Customer is concerned about cross contamination.

INVESTIGATION

spoke with manager, Kaylha Beech, and Shari (employee). They are aware of the situation and will speak to the employee. The child is currently not being allowed "behind the counter" and remains in dining room the entirety of their shift.

as the child does not go behind the counter, there would be no violation regarding allowing unauthorized persons in areas restricted to such individuals.

the facility could allow the child behind the counter provided they are supervised and DO NOT go into areas otherwise prohibited. So they could be in the managers office, designated break area, or other areas approved and still be in compliance with TFER.

at this time, based on the conditions relayed, there is no violation.

the following item was reviewed for correction from previous inspection (1/5/23):

42: clean ceiling fans: corrected

-

ST MARYS SCHOOL 12P 5R

1019 SOUTH 7TH 76501

8/3/2023

Permit

0

8:20 AM

8/3/2023

Overall general sanitation very good.

8:35 AM

-

SUBWAY - N 29TH

3 NORTH 29TH 76504

8/30/2023

Permit

100

11:30 AM

8/30/2023

10 clean buildup on plastic flap inside ice machine

11:55 AM

corrected from previous inspection

-

SUBWAY #5854- S 31ST

2906 SOUTH 31ST 76502

8/30/2023

Permit

97

3:10 PM

8/31/2023

45: ceiling tile missing above BIB storage rack. Replace as required

3:40 PM

32: reach in refrigerator next to bread warmer requires cleaning of mold (door gaskets)

From previous inspection (9/21/22): all corrected

42: minor cleaning required for walk in cooler floor
 minor cleanin required for walk in collar fan guards
 minor cleaning at service display counters (frames, structures)
 clean small tray rack cart of residue buildup

Physical facilities installed, maintained, clean - 1

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

TACO BELL - W ADAMS

6820 W ADAMS 76502

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TEMPLE

TACO BELL - W ADAMS	6820 W ADAMS 76502				
----------------------------	--------------------	--	--	--	--

8/15/2023	Complaint Followup	99	2:15 PM 2:50 PM	<input type="checkbox"/>	8/16/2023
------------------	---------------------------	----	--------------------	--------------------------	-----------

complaint allegations:

Customer makes the following allegations, On August 13, 2023 Sunday, at 12:42 pm:
 She ordered 4 crunchy tacos, the shells were rancid, bad taste and smell.
 She got diarrhea and stomach cramps by 5:30 to 6 pm that evening.
 Her symptoms were gone by August 14, Monday morning.
 She has included pictures.

INVESTIGATION:

manager was made aware of the allegations and provided documentation to that end.

all foods present, including taco shells appeared to be in wholesome, sound condition and there were no issues concerning storage practices/techniques that would promote such conditions.

because it was associated with an alleged food born illness, temperatures for hot and cold hold were checked and found to be in compliance.

date marking/rotation of stock and other measures either required in TFER or by corporate standards were in place to prevent food quality concerns.

NOTE: two items were checked from previous inspection (7/27/23) and found to be:

42/45: floor below/under soda syrup rack is dirty and requires cleaning: corrected

42: housing for soda machine in the drive-through has mold build-up and requires cleaning: REPEAT

Non-Food Contact surfaces clean - 1

TAQUERIA DOS AMIGOS	3 SOUTH 25TH 76504				
----------------------------	--------------------	--	--	--	--

8/29/2023	Permit	100	1:30 PM 1:45 PM	<input type="checkbox"/>	8/29/2023
------------------	---------------	-----	--------------------	--------------------------	-----------

-

TAZ INDIAN CUISINE	7373 HONEYSUCKLE DRIVE 76502				
---------------------------	------------------------------	--	--	--	--

8/23/2023	Permit	100	10:30 AM 11:15 AM	<input type="checkbox"/>	8/24/2023
------------------	---------------	-----	----------------------	--------------------------	-----------

-

TEMPLE LEARNING CENTER	1100 SOUTH 33RD 76504				
-------------------------------	-----------------------	--	--	--	--

8/3/2023	Permit	0	9:30 AM 10:00 AM	<input type="checkbox"/>	8/3/2023
-----------------	---------------	---	---------------------	--------------------------	----------

note: one commode not working...currently has work order in for repairs. Kitchen hot water currently off to repair leak, hot water will be restored once leak fixed (by end of day).

-

8/8/2023	Permit	100	1:35 PM 1:45 PM	<input type="checkbox"/>	8/8/2023
-----------------	---------------	-----	--------------------	--------------------------	----------

SCORE 100

-

TEMPLE REHAB HOSPITAL	23621 SE HK DODGEN LOOP 76504				
------------------------------	-------------------------------	--	--	--	--

8/3/2023	New Ownership Permit	0	3:35 PM 4:15 PM	<input type="checkbox"/>	8/4/2023
-----------------	-----------------------------	---	--------------------	--------------------------	----------

-

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TEMPLE

Temple TX FOOD MART, LLC			5421 SOUTH GENERAL BRUCE DR. 76502		
8/3/2023	New Ownership Permit	2	3:20 PM	<input type="checkbox"/>	8/3/2023
SCORE: 98			3:45 PM		

42: clean soda fountain before re-instating its use. Currently shut down waiting on syrup products. Has been down for a few months.

45: repair/patch hole in floor by cooler next to Lotto stand.

Physical facilities installed, maintained, clean - 1

Non-Food Contact surfaces clean - 1

THE HEALTHY PLACE			1407 SOUTH 31ST, SUITE C 76504		
8/30/2023	Permit	100	2:45 PM	<input type="checkbox"/>	8/31/2023
-			3:00 PM		

WES'S BURGER SHACK & MORE			1301 SOUTH 1ST 76502		
8/3/2023	Permit	0	2:50 PM	<input type="checkbox"/>	8/4/2023
-			3:15 PM		

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TROY

CREAMY DONUTS - TROY			213 N CENTRAL STE 100C 76579		
8/28/2023	Permit	100	9:45 AM 10:05 AM	<input type="checkbox"/>	8/28/2023

JALISCOS TROY			213 NORTH CENTRAL STE 100 76579		
8/28/2023	Permit	99	11:00 AM 11:40 AM	<input type="checkbox"/>	8/28/2023

42: storage racks need replacing or repainting (rusty)
dust collecting on vent hood requires cleaning
dining room vents have dust accumulations that require cleaning.

Non-Food Contact surfaces clean - 1

MAYS ELEMENTARY 8P 2R			725 W MAIN 76579		
8/21/2023	Permit	99	11:10 AM 11:35 AM	<input type="checkbox"/>	8/21/2023

note from 1/27/23: high pitched whine from walk in cooler fan has been looked at, not an issue.

42: clean reach in cooler fan covers

Non-Food Contact surfaces clean - 1

MILANO'S PIZZA			213 N CENTRAL STE 200 76579		
-----------------------	--	--	-----------------------------	--	--

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TROY

MILANO'S PIZZA	213 N CENTRAL STE 200 76579				
-----------------------	-----------------------------	--	--	--	--

8/28/2023	Complaint Followup	99	2:15 PM	<input type="checkbox"/>	8/29/2023
------------------	---------------------------	----	---------	--------------------------	-----------

COMPLAINT RECEIVED VIA DSHS E-MAIL: ALLEGATIONS AS ENUMERATED: 2:40 PM

PLACE IS VERY DISGUSTING

1. BLACK STUFF ON CEILINGS AND BASEBOARDS
2. SAME STUFF IN SODA COOLER
3. NO ICE FOR THE SALAD BAR
4. BATHROOM IS "UNACCEPTABLE"
5. NO LIGHT IN THE RESTROOM
6. NO SOAP

INVESTIGATION: ALLEGATION NUMBERS AS ABOVE

3: ice is purchased as needed, the bin that the salad bar foods sits in is also refrigerated. At the time of the inspection, there was ice in the unit and foods were temping at an approved cold hold temperature. The manager states that at the time the ice was not available, they did not set up salad bar.

5: bathroom light fixture (ballast) is out, bu they have put a floor lamp in the restroom that provides adequate lighting. It is possible that its position behind door could hide the lamp, that they put a sign on the door notifying the public of the location so that it may be turned on by user as needed.

6: soap was available at all locations and for purposes as necessary

4: bathroom was relatively clean with minor attention needed (trash empty, minor cleaning for sink)

2: (42) soda cooler did require attention as it was dirty in the door guides and the bottom shelf. Cleaning required

1: cleaning for baseboards and celing is recommended for aesthetic reasons only. The condition shows age, but not excessive neglect.

Non-Food Contact surfaces clean - 1

RAYMOND MAYS MIDDLE SCHOOL 8P 2R	915 W MAIN 76579				
---	------------------	--	--	--	--

8/21/2023	Permit	100	11:40 AM	<input type="checkbox"/>	8/21/2023
------------------	---------------	-----	----------	--------------------------	-----------

12:05 PM

-

TROY ELEMENTARY SCHOOL 8P 2R	808 E AUSTIN 76579				
-------------------------------------	--------------------	--	--	--	--

8/21/2023	Permit	100	10:20 AM	<input type="checkbox"/>	8/21/2023
------------------	---------------	-----	----------	--------------------------	-----------

10:55 AM

-

TROY HEADSTART	902 EAST MAIN 76579				
-----------------------	---------------------	--	--	--	--

Inspections Between (inclusive): 8/1/2023 and 8/31/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TROY

TROY HEADSTART			902 EAST MAIN 76579		
8/28/2023	Permit	100	11:45 AM 11:55 AM	<input type="checkbox"/>	8/28/2023

TROY HIGH SCHOOL 8P 2R			205 N. WACO RD 76579		
8/21/2023	Permit	100	12:15 PM 12:45 PM	<input type="checkbox"/>	8/21/2023