

SUMMERFIELD NORTH

PRELIMINARY PLAT

LANDSCAPE PLAN




VICINITY MAP
SCALE: NTS



SHEET INDEX

- L1.0 COVER SHEET
- L2.0 LANDSCAPE PLAN
- L3.0 LANDSCAPE SITE DETAILS
- L4.0 LANDSCAPE NOTES



Consilium Design
LAND PLANNING AND
LANDSCAPE ARCHITECTURE

2755 SOUTH LOCUST ST,
SUITE 236
DENVER, CO 80222
TEL 303.224.9520
FAX 303.224.9524
www.consiliumdesign.com

COPYRIGHT © BY CONSILIUM DESIGN THESE PLANS ARE AN INSTRUMENT OF SERVICE AND ARE THE PROPERTY OF THE LANDSCAPE ARCHITECT AND TO BE USED SOLELY FOR THE PROJECT SHOWN. AND MAY NOT BE DUPLICATED, DISCLOSED OR REPRODUCED WITHOUT THE WRITTEN CONSENT OF CONSILIUM DESIGN

NOT FOR
CONSTRUCTION

SUMMERFIELD NORTH
MSP INVESTMENT CO., LLP
Town of Keenesburg, Colorado
PRELIMINARY PLAT

SUBMITTAL / REVISIONS:
10-19-2021 • PRELIM. PLAT

COVER SHEET


L1.0

LEGEND


DECIDUOUS TREES


CONIFER TREES

PLANT SCHEDULE						
KEY	QTY	SCIENTIFIC NAME	COMMON NAME	SIZE	SPACING	NOTES
DECIDUOUS TREES						
SSM		Acer miyabei 'Morton' state street	State Street Maple	2" CAL.	SEE PLAN	B&B
CAL		Catalpa speciosa	Western Catalpa	2" CAL.	SEE PLAN	B&B
CHB		Celtis occidentalis	Common Hackberry	2" CAL.	SEE PLAN	B&B
SMH		Gleditsia triacanthos inermis 'Shademaster'	Shademaster Honeylocust	2" CAL.	SEE PLAN	B&B
TEX		Quercus buckleyi	Texas Red oak	2" CAL.	SEE PLAN	B&B
HTO		Quercus x macdanielii 'Clemens'	Heritage Oak	2" CAL.	SEE PLAN	B&B
ORNAMENTAL TREES						
TCW		Crataegus crus-galli inermis	Thornless Cockspur Hawthorn	1.5" CAL.	SEE PLAN	B&B
THU		Malus 'Thunderchild'	Thunderchild Crabapple	1.5" CAL.	SEE PLAN	B&B
EVERGREEN TREES						
RMJ		Juniperus scopulorum	Rocky Mountain Juniper	6' Ht.	SEE PLAN	B&B
PVP		Pinus flexilis 'Vanderwolf's Pyramid'	Vanderwolf's Limber Pine	6' Ht.	SEE PLAN	B&B
BOP		Pinus leucodermis 'Emerald Arrow'	Emerald Arrow Bosnian Pine	6' Ht.	SEE PLAN	B&B
PON		Pinus ponderosa	Ponderosa Pine	6' Ht.	SEE PLAN	B&B
CBS		Picea pungens 'Globosa'	Colorado Spruce	6' Ht.	SEE PLAN	B&B
EVERGREEN SHRUBS						
OLD		Juniperus chinensis 'Old Gold'	Old Gold Juniper	5 GAL.	SEE PLAN	CONTAINER
MSL		Pinus Mugo 'Slowmound'	Slowmound Mugo Pine	5 GAL.	SEE PLAN	CONTAINER
DECIDUOUS SHRUBS						
TWS		Artemisia tridentata	Tall Western Sage	5 GAL.	SEE PLAN	CONTAINER
BSF		Buddleja alternifolia 'Argentea'	Silver Fountain Butterfly Bush	5 GAL.	SEE PLAN	CONTAINER
MMA		Cercocarpus montanus	Mountain Mahogany	5 GAL.	SEE PLAN	CONTAINER
FQU		Chaenomeles japonica	Red Flowering Quince	5 GAL.	SEE PLAN	CONTAINER
RDW		Chrysothamnus var.	Dwarf Rabbitbrush	5 GAL.	SEE PLAN	CONTAINER
CAC		Cotoneaster acutifolia	Peking Cotoneaster	5 GAL.	SEE PLAN	CONTAINER
APL		Fallugia paradoxa	Apache Plume	5 GAL.	SEE PLAN	CONTAINER
RSA		Perovskia artiplicifolia 'Little Spire'	Russian Sage	5 GAL.	SEE PLAN	CONTAINER
NIN		Physocarpus opulifolius	Native Ninebark	5 GAL.	SEE PLAN	CONTAINER
PBS		Prunus besseyi	Pawnee Buttes Sand Cherry	5 GAL.	SEE PLAN	CONTAINER
GLS		Rhus aromatica 'Grow-low'	Gro-low Sumac	5 GAL.	SEE PLAN	CONTAINER
SRM		Rhus glabra 'Cismontana'	Rocky Mountain Sumac	5 GAL.	SEE PLAN	CONTAINER
RUG		Rosa rugosa	Rugosa Rose	5 GAL.	SEE PLAN	CONTAINER
GFS		Spiraea x bumalda 'Goldeffame'	Goldflame Spiraea	5 GAL.	SEE PLAN	CONTAINER
LED		Syringa x chinensis	Common Purple Lilac	5 GAL.	SEE PLAN	CONTAINER
GRASSES						
BLO		Bouteloua gracilis 'Blond Ambition'	Blonde Ambition Blue Grama Grass	1 GAL.	SEE PLAN	CONTAINER
FRG		Clamagrostis x acutiflora 'Overdam'	Overdam Feather Reed Grass	1 GAL.	SEE PLAN	CONTAINER
GHM		Panicum virgatum 'Heavy Metal'	Heavy Metal Switch Grass	5 GAL.	SEE PLAN	CONTAINER
LBG		Schizachyrium scoparium	Little Bluestem	1 GAL.	SEE PLAN	CONTAINER



1 LANDSCAPE PLAN
Scale: 1"=100'-0"




Consilium Design
LAND PLANNING AND
LANDSCAPE ARCHITECTURE
2755 SOUTH LOCUST ST,
SUITE 236
DENVER, CO 80222
TEL 303.224.9520
FAX 303.224.9524
www.consiliumdesign.com

NOT FOR
CONSTRUCTION

SUMMERFIELD NORTH
MSP INVESTMENT CO., LLP
Town of Keenesburg, Colorado
PRELIMINARY PLAT


SUBMITTAL / REVISIONS:
10-19-2021 • PRELIM. PLAT

LANDSCAPE PLAN


L2.0




1 ENTRY MONUMENT & COLUMN
Scale: NTS




2 3FT - 2 RAIL FENCE
Scale: 1/2"=1'-0"




3 5FT - PRIVACY FENCE - ELEVATION
Scale: 1/2"=1'-0"




4 5FT - PRIVACY FENCE TRANSITION - ELEVATION
Scale: 1/2"=1'-0"



5 TRAIL SECTION
Scale: NTS



6 LOCAL STREET SECTION
Scale: NTS



Consilium Design

LAND PLANNING AND
LANDSCAPE ARCHITECTURE

2755 SOUTH LOCUST ST.,
SUITE 236
DENVER, CO 80222
TEL 303.224.9520
FAX 303.224.9524
www.consiliumdesign.com

COPYRIGHT © BY CONSILIUM DESIGN. THESE PLANS ARE AN INSTRUMENT OF SERVICE AND ARE THE PROPERTY OF THE LANDSCAPE ARCHITECT AND TO BE USED SOLELY FOR THE PROJECT SHOWN. AND MAY NOT BE DUPLICATED, DISCLOSED OR REPRODUCED WITHOUT THE WRITTEN CONSENT OF CONSILIUM DESIGN.

NOT FOR
CONSTRUCTION

SUMMERFIELD NORTH

MSP INVESTMENT CO., LLP

Town of Keenesburg, Colorado

PRELIMINARY PLAT

SUBMITTAL / REVISIONS:
10-19-2021 • PRELIM. PLAT

LANDSCAPE
SITE DETAILS


L3.0

GENERAL NOTES

1. ALL WORK SHALL CONFORM TO FEDERAL, STATE, CITY, AND COUNTY CODES. ALL WORK SHALL BE IN ACCORDANCE WITH OSHA CODES AND STANDARDS. NOTHING INDICATED ON THE LANDSCAPE DRAWINGS SHALL RELIEVE THE CONTRACTOR FROM COMPLYING WITH ANY APPROPRIATE SAFETY REGULATIONS.
2. THESE PLANS SHALL NOT BE UTILIZED FOR CONSTRUCTION OR PERMITTING UNLESS STATED FOR SUCH USE IN THE TITLE BLOCK.
3. DRAWINGS ARE INTENDED TO BE PRINTED ON 24" X 36" PAPER. PRINTING THESE DRAWINGS AT A DIFFERENT SIZE WILL IMPACT THE SCALE. VERIFY THE GRAPHIC SCALE BEFORE REFERENCING ANY MEASUREMENTS ON THESE SHEETS.
4. RECIPIENTS OF THESE DRAWINGS SHALL BE RESPONSIBLE FOR ANY ERRORS RESULTING FROM INCORRECT PRINTING, COPYING, OR ANY OTHER CHANGES THAT ALTER THE SCALE OF THE DRAWINGS.
5. VERIFY ALL PLAN DIMENSIONS PRIOR TO START OF CONSTRUCTION. NOTIFY THE OWNER'S REPRESENTATIVE TO ADDRESS ANY QUESTIONS OR CLARIFY ANY DISCREPANCIES.
6. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALED DIMENSIONS.
7. CONTRACTOR SHALL VERIFY (CALL FOR UTILITY LOCATES) LOCATION OF ALL EXISTING UTILITIES AND STRUCTURES PRIOR TO EXCAVATION OR TRENCHING. REFER TO ENGINEERING UTILITY PLANS FOR ALL PROPOSED UTILITY LOCATIONS AND DETAILS. NOTIFY OWNER'S REPRESENTATIVE IF EXISTING OR PROPOSED UTILITIES INTERFERE WITH THE ABILITY TO PERFORM WORK.
8. CONTRACTOR IS RESPONSIBLE FOR THE REPAIR OF ANY SETTLING DUE TO EXCAVATION AND TRENCHING.
9. CONTRACTOR SHALL PROTECT AND PRESERVE ALL EXISTING ADJACENT PROPERTY'S AMENITIES/ IMPROVEMENTS, UNLESS OTHERWISE NOTED.
10. CONTRACTOR SHALL REMOVE ALL DEBRIS FROM THE RIGHT-OF-WAY AND/ OR PUBLIC PROPERTY AT THE END OF EACH WORK DAY.
11. CONTRACTOR SHALL BE RESPONSIBLE FOR REPLACEMENT OF ANY DAMAGE DUE TO PROJECT'S CONSTRUCTION. CONTRACTOR SHALL BE RESPONSIBLE FOR THE COST OF REPAIR TO UTILITIES, ADJACENT LANDSCAPE, AND THE SUBCONTRACTOR'S OPERATIONS DURING CONSTRUCTION AND/ OR THE SPECIFIED MAINTENANCE PERIOD. THE CONTRACTOR SHALL FULLY COMPENSATE THE OWNER FOR ANYTHING DISTURBED AND/ OR DESTROYED THAT IS NOT DESIGNATED FOR DEMOLITION.
12. ALL UTILITY EASEMENTS SHALL REMAIN UNOBSTRUCTED AND FULLY ACCESSIBLE ALONG THEIR ENTIRE LENGTH FOR USE OF MAINTENANCE EQUIPMENT.
14. SUBMIT A CHANGE ORDER FOR APPROVAL FOR ANY CHANGES TO WORK SCOPE RESULTING FROM FIELD CONDITIONS OR DIRECTED BY OWNER'S REPRESENTATIVE WHICH REQUIRE ADDITIONAL COST TO THE OWNER PRIOR TO PERFORMANCE OF WORK.
15. THE CONTRACTOR SHALL PROVIDE A STAKED LAYOUT OF ALL SITE IMPROVEMENTS FOR INSPECTION BY THE OWNER'S REPRESENTATIVE AND MAKE MODIFICATIONS AS REQUIRED. ALL LAYOUT INFORMATION IS AVAILABLE IN DIGITAL FORMAT FOR USE BY THE CONTRACTOR.
16. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY FINES OR PENALTIES ASSESSED TO THE OWNER RELATION TO ANY VIOLATIONS OR NON-CONFORMANCE WITH THE PLANS, SPECIFICATIONS, CONTRACT DOCUMENTS, JURISDICTIONAL CODES, AND REGULATORY AGENCIES.
17. CONTRACTOR IS RESPONSIBLE TO PAY FOR, AND OBTAIN, ANY REQUIRED APPLICATIONS, PERMITTING, LICENSES, INSPECTIONS AND METERS ASSOCIATED WITH WORK.
18. CONTRACTOR SHALL CONFIRM THAT SITE CONDITIONS ARE SIMILAR TO THE PLANS, WITHIN TOLERANCES STATED IN THE CONTRACT DOCUMENTS, AND SATISFACTORY TO THE CONTRACTOR PRIOR TO START OF WORK. SHOULD SITE CONDITIONS BE DIFFERENT THAN REPRESENTED ON THE PLANS OR UNSATISFACTORY TO THE CONTRACTOR, THE CONTRACTOR SHALL CONTACT THE OWNERS REPRESENTATIVE FOR CLARIFICATION AND FURTHER DIRECTION.
19. SITE TRIANGLES AND SIGHT LINES SHALL REMAIN UNOBSTRUCTED BY EQUIPMENT, CONSTRUCTION MATERIALS, PLANT MATERIAL OR ANY OTHER VISUAL OBSTACLE DURING THE CONTRACT PERIOD AND AT MATURITY OF PLANTS PER LOCAL JURISDICTIONAL REQUIREMENTS. NO PLANT MATERIAL OTHER THAN GROUND COVER IS ALLOWED TO BE PLANTED ADJACENT TO FIRE HYDRANTS AS STIPULATED BY JURISDICTIONAL REQUIREMENTS.
20. CONTRACTOR WILL BE RESPONSIBLE FOR PROTECTION OF THEIR MATERIAL STOCK PILES AND WORK FROM VANDALISM, EROSION OR UNINTENDED DISTURBANCE DURING THE CONSTRUCTION PERIOD AND UNTIL FINAL ACCEPTANCE IS ISSUED.
21. MAINTAIN ANY STORM WATER MANAGEMENT FACILITIES THAT EXIST ON SITE FOR FULL FUNCTIONALITY. THE CONTRACTOR SHALL INSTALL AND MAINTAIN ANY NEW STORM WATER MANAGEMENT FACILITIES THAT ARE IDENTIFIED IN THE SCOPE OF WORK TO FULL FUNCTIONALITY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY FINES OR PENALTIES ASSESSED TO THE OWNER FOR FAILURE TO MAINTAIN STORM WATER MANAGEMENT FACILITIES DURING THEIR CONTRACTED COURSE OF WORK.
22. THE CONTRACTOR SHALL PREVENT SEDIMENT, DEBRIS, AND ALL OTHER POLLUTANTS FROM EXITING THE SITE OR ENTERING THE STORM SEWER SYSTEM DURING ALL DEMOLITION OR CONSTRUCTION OPERATIONS THAT ARE PART OF THIS PROJECT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY FINES OR PENALTIES ASSESSED TO THE OWNER RELATING TO THESE REQUIREMENTS DURING THEIR CONTRACTED COURSE OF WORK.
23. THE CLEANING OF EQUIPMENT IS PROHIBITED AT THE JOB SITE UNLESS AUTHORIZED BY THE OWNER'S REPRESENTATIVE IN A DESIGNATED AREA. THE DISCHARGE OF WATER, WASTE CONCRETE, POLLUTANTS, OR OTHER MATERIALS SHALL ONLY OCCUR IN AREAS DESIGNED FOR SUCH USE AND APPROVED BY THE OWNER'S REPRESENTATIVE.
24. THE CLEANING OF CONCRETE IS PROHIBITED AT THE JOB SITE EXCEPT IN DESIGNATED CONCRETE WASHOUT AREAS. THE DISCHARGE OF WATER CONTAINING WASTE CONCRETE IN THE STORM SEWER IS PROHIBITED.


PLANTING NOTES

1. WEED FABRIC SHALL NOT BE INSTALLED IN PLANTING BEDS UNLESS SPECIFICALLY SPECIFIED ON PLANS. PLANTING DESIGN IS INTENDED TO ALLOW PLANTS TO SPREAD THROUGHOUT PLANTING BEDS.
2. THE OWNER'S REPRESENTATIVE RESERVES THE RIGHT TO INSPECT AND TAG ALL PLANT MATERIAL PRIOR TO SHIPPING TO THE SITE. IN ALL CASES, THE OWNER'S REPRESENTATIVE MAY REJECT PLANT MATERIAL AT THE SITE IF MATERIAL IS DAMAGED, DISEASED, OR DECLINING IN HEALTH AT THE TIME OF ONSITE INSPECTIONS OR IF THE PLANT MATERIAL DOES NOT MEET THE MINIMUM SPECIFIED STANDARD IDENTIFIED ON THE PLANS AND IN THE SPECIFICATIONS. THE CONTRACTOR SHALL COORDINATE WITH THE OWNER'S REPRESENTATIVE FOR INSPECTION AND APPROVAL OF ALL MATERIALS AND PRODUCTS PRIOR TO INSTALLATION.
3. REFER TO IRRIGATION PLANS FOR LIMITS AND TYPES OF IRRIGATION DESIGNED FOR THE LANDSCAPE. IN NO CASE SHALL IRRIGATION BE EMITTED WITHIN THE MINIMUM DISTANCE FROM BUILDING OR WALL. FOUNDATIONS AS STIPULATED IN THE GEOTECHNICAL REPORT. ALL IRRIGATION DISTRIBUTION LINES, HEADS AND EMITTERS SHALL BE KEPT OUTSIDE THE MINIMUM DISTANCE AWAY FROM ALL BUILDING AND WALL FOUNDATIONS AS STIPULATED IN THE GEOTECHNICAL REPORT.
4. LANDSCAPE MATERIAL LOCATIONS SHALL HAVE PRECEDENCE OVER IRRIGATION MAINLINE AND LATERAL LOCATIONS. COORDINATE INSTALLATION OF IRRIGATION EQUIPMENT SO THAT IT DOES NOT INTERFERE WITH THE PLANTING OF TREES OR OTHER LANDSCAPE MATERIAL.
5. THE LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR ENSURING POSITIVE DRAINAGE EXISTS IN ALL LANDSCAPE AREAS. SURFACE DRAINAGE ON LANDSCAPE AREAS SHALL NOT FLOW TOWARD STRUCTURES AND FOUNDATION. MAINTAIN SLOPE AWAY FROM FOUNDATIONS PER THE GEOTECHNICAL REPORT RECOMMENDATIONS. ALL LANDSCAPE AREAS BETWEEN WALKS AND CURBS SHALL DRAIN FREELY TO THE CURB UNLESS OTHERWISE IDENTIFIED ON THE GRADING PLAN. IN NO CASE SHALL THE GRADE, TURF THATCH, OR OTHER LANDSCAPE MATERIAL DAM WATER AGAINST WALKS. MINIMUM SLOPES ON LANDSCAPE SHALL BE 2%; MAXIMUM SLOPE SHALL BE 25% UNLESS SPECIFICALLY IDENTIFIED ON THE PLANS OR APPROVED BY THE OWNER'S REPRESENTATIVE.
6. TREES SHALL NOT BE LOCATED IN DRAINAGE SWALES, DRAINAGE AREAS, OR UTILITY EASEMENTS. CONTACT OWNER'S REPRESENTATIVE FOR RELOCATION OF PLANTS IN QUESTIONABLE AREAS PRIOR TO INSTALLATION.
7. ALL EXISTING TREES SHALL BE SAVED AND PROTECTED (TRANSPLANTED IF NECESSARY), UNLESS OTHERWISE NOTED.
8. TO THE MAXIMUM EXTENT FEASIBLE, TOPSOIL THAT IS REMOVED PRIOR TO CONSTRUCTION SHALL BE COLLECTED, SAVED, AND PROTECTED FOR LATER USE ON AREAS REQUIRING REVEGETATION (SEED) AND/ OR LANDSCAPING.
9. ALL TURF AND BED AREAS SHALL RECEIVE ORGANIC SOIL PREPARATION AT A RATE OF (4) FOUR CUBIC YARDS PER 1000 SQUARE FEET TILLED TO A DEPTH OF 6 INCHES OR AS NOTED IN THE TECHNICAL SPECIFICATIONS. ALL SEEDED AREAS SHALL RECEIVE ORGANIC SOIL PREPARATION AT A RATE RATE RECOMMENDED BY SEED PRODUCER. SEE TECHNICAL SPECIFICATIONS FOR ADDITIONAL INFORMATION.
10. PRIOR TO INSTALLING OF PLANT MATERIALS, ALL AREAS THAT HAVE BEEN COMPACTED OR DISTURBED BY CONSTRUCTION ACTIVITY SHALL BE THOROUGHLY LOOSENEED, REPAIRED AND SEEDED IF NECESSARY. SEE SPECIFIED SEED MIX INFORMATION.
11. THE CONTRACTOR IS EXPECTED TO KNOW AND UNDERSTAND THE CITY AND COUNTY'S SPECIFICATIONS FOR LANDSCAPE AND IRRIGATION. IN CASES OF DISCREPANCIES THE HIGHER OF THE TWO STANDARDS SHALL HAVE PRECEDENCE (SPECIFICATIONS AND DETAILS PROVIDED WITH THE PLANS VERSUS THE CITY AND COUNTY'S SPECIFICATIONS AND DETAILS).
12. ALL PLANTS OF THE SAME SPECIES AND SIZE SHALL HAVE MATCHING HEIGHT AND FORM, UNLESS OTHERWISE NOTED. ALL PLANTS SHALL CONFORM TO THE "AMERICAN STANDARD FOR NURSERY STOCK."
13. THE CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL PLANT QUANTITIES. GRAPHIC SYMBOLS ON LANDSCAPE DRAWINGS TAKES PRECEDENCE OVER WRITTEN PLANT QUANTITIES.
14. ALL PLANTS SHALL BE PLANTED USING AN EQUALLY SPACED TRIANGULAR PATTERN, UNLESS OTHERWISE NOTED AND/ OR SHOWN ON THE LANDSCAPE DRAWINGS.
15. ALL PLANTS INSTALLED SHALL FOLLOW THE PLANT SCHEDULE ON THE APPROVED LANDSCAPE DRAWINGS. SUBSTITUTIONS MUST BE APPROVED BY THE LANDSCAPE ARCHITECT.
16. CONTRACTOR SHALL REPORT ANY DISCREPANCY FOUND IN THE FIELD VERSUS THE LANDSCAPE DRAWINGS IMMEDIATELY TO THE LANDSCAPE ARCHITECT AND/ OR OWNER'S REPRESENTATIVE PRIOR TO ANY CONSTRUCTION OR DEMOLITION ACTIVITY. FAILURE TO MAKE SUCH CONFLICTS KNOWN WILL RESULT IN THE CONTRACTOR'S LIABILITY TO RELOCATE OR REPAIR.
17. THE FINAL LOCATION OF ALL PLANTS SHALL BE SUBJECT TO THE APPROVAL OF THE OWNER'S REPRESENTATIVE PRIOR TO INSTALLATION.
18. CONTRACTOR SHALL PROVIDE AT LEAST A ONE YEAR WARRANTY FOR ALL PLANT MATERIAL FROM THE DATE OF FINAL INSPECTION, UNLESS OTHERWISE DIRECTED BY LANDSCAPE ARCHITECT AND/OR OWNER.
19. ALL PLANTS SHALL BE WATERED, CARED FOR, AND PROTECTED FROM DAMAGING WEATHER EFFECTS WHEN NECESSARY.
20. ALL PLANTS SHALL BE INSTALLED IMMEDIATELY UPON DELIVERY TO THE PROJECT SITE. IF THIS IS NOT POSSIBLE, PLANTS SHALL BE HEELED IN AND WATERED TO HELP PREVENT ANY DAMAGE.
21. ALL TREES ARE TO BE STAKED WITH WOOD STAKES AND GUYED FOR A PERIOD OF ONE YEAR PER THE DETAILS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR REMOVING WOOD STAKES AT THE END OF 1 YEAR FROM ACCEPTANCE OF LANDSCAPE INSTALLATION BY THE OWNER'S REPRESENTATIVE. OBTAIN APPROVAL BY OWNER'S REPRESENTATIVE PRIOR TO REMOVAL.
22. ALL TREES INSTALLED ABOVE RETAINING WALLS UTILIZING GEO-GRID MUST BE HAND DUG TO PROTECT GEO-GRID. IF GEO-GRID MUST BE CUT TO INSTALL TREES, APPROVAL MUST BE GIVEN BY OWNER'S REPRESENTATIVE PRIOR TO DOING WORK.
23. TREE WRAP SHALL BE APPLIED IN LATE FALL AFTER INSTALLATION AND REMOVED THE FOLLOWING SPRING. TREES GREATER THAN 4" IN CALIPER MAY NOT REQUIRE TREE WRAP IF BARK IS SUFFICIENTLY DEVELOPED. OBTAIN APPROVAL FROM OWNER'S REPRESENTATIVE FOR ANY TREES THAT WILL NOT BE WRAPPED.
24. CONTRACTOR SHALL OBTAIN SOIL SAMPLES FROM A MINIMUM OF 5 SUITABLE LOCATIONS AND SUBMIT SAMPLES TO A STATE-LICENSED SOIL TESTING LABORATORY, SUCH AS COLORADO ANALYTICAL OR COLORADO STATE UNIVERSITY SOILS LAB, SPECIALIZING IN THE ANALYSIS OF SOIL AND IN MAKING RECOMMENDATIONS FOR THE INTRODUCTION OF ORGANIC AMENDMENTS IN LANDSCAPE PLANTING AREAS. THE RESULTS OF THE SOIL ANALYSIS AND RECOMMENDATIONS SHALL BE FORWARDED TO THE OWNER'S REPRESENTATIVE ALONG WITH THE CONTRACTOR'S RECOMMENDATIONS FOR SOIL AMENDMENT MATERIALS AND QUANTITIES.




1 EVERGREEN TREE PLANTING

Scale: NTS



2 DECIDUOUS TREE PLANTING

Scale: NTS



3 SHRUB PLANTING

Scale: NTS



Consilium Design

LAND PLANNING AND
LANDSCAPE ARCHITECTURE

2755 SOUTH LOCUST ST,
SUITE 236
DENVER, CO 80222
TEL 303.224.9520
FAX 303.224.9524
www.consiliumdesign.com

COPYRIGHT © BY CONSILIUM DESIGN THESE PLANS ARE AN INSTRUMENT OF SERVICE AND ARE THE PROPERTY OF THE LANDSCAPE ARCHITECT AND TO BE USED SOLELY FOR THE PROJECT SHOWN, AND MAY NOT BE DUPLICATED, DISCLOSED OR REPRODUCED WITHOUT THE WRITTEN CONSENT OF CONSILIUM DESIGN

NOT FOR
CONSTRUCTION

SUMMERFIELD NORTH

MSP INVESTMENT CO., LLP

Town of Keenesburg, Colorado

PRELIMINARY PLAT

SUBMITTAL / REVISIONS:

10-19-2021 • PRELIM. PLAT

LANDSCAPE NOTES

L4.0